


Open

# Chevy tahoe 2015 owners manual












2015 chevy tahoe ppv owners manual. 2015 chevy tahoe ls owners manual. 2015 chevy tahoe owner's manual.

Do not allow the wiper mechanism's holding ability: blade arm to touch the With the engine running, shift to windshield. thrown out of the vehicle in a Canceling a Remote Start crash is increased if the... Canada: 1-800-268-6800 E85 or FlexFuel When road and weather New Chevrolet owners are conditions are appropriate, use Vehicles with a yellow fuel cap can automatically enrolled in the cruise control. Page 224 Infotainment System 7-17 Tone Settings: Select to adjust 2. Page 446 Service and Maintenance 11-13 Usage Fluid/Lubricant Front Axle (2500 Series Vehicles with SAE 75W-90 Synthetic Axle Lubricant (GM Part No. 89021677, in Four-Wheel Drive) Canada 89021678). Rear Climate Control Buttons important features that may or may (If Equipped). Keys, Doors, and Windows Remote Keyless Entry locking has occurred. Release the difficulty in finding tracks, and/or there is an error and the disc button to return to playing difficulty in loading and ejecting. Page 20 In Brief 1-13 Steering Wheel Tilt and Telescope Steering Wheel Power Tilt and Telescope Steering Wheel Adjustment To adjust the tilt and telescope steering wheel, if equipped: To adjust the power tilt and To adjust the steering wheel: telescope steering wheel, 1. Lighting Flash-to-Pass The DRL system comes on when Automatic Headlamp the following conditions are met: System This feature lets you use the The ignition is on. The mirrors vibrate at normal driving speeds. If that does not get speed, they can explode, and you the vehicle out after a few tries, it or others could be injured. programming. Page 440 Service and Maintenance 11-7 Maintenance Schedule Additional Required Services - Severe Rotate tires and perform Required Services. TO XXX CRUISE SET TO XXX As soon as it is safe to do so, carefully pull your vehicle over to This message displays when the... 11-2 Service and Maintenance Frequently towing a trailer. See Active This message displays and a chime FORWARD COLLISION Emergency Braking System on... 9-34 Driving and Operating when driving on downhill grades by Manual Mode When the shift lever is moved from using the engine and transmission D (Drive) to M (Manual Mode), a Range Selection Mode to slow the vehicle. someone put in the wrong related accessories contain lead kind of fluid. Shifting the transmission into gear 1. MEDIA Press to change the audio source between CD, USB, SD card, AUX, and Bluetooth Audio, if equipped. Page 135 3-66 Seats and Restraints 7. Seats and Restraints If something has blocked the driver Heated and Cooled Front seat, power tilt and telescoping Seats steering column, and/or adjustable pedals (if equipped) while recalling If equipped, the vehicle may have the exit position, the recall may heated or heated and cooled seats. Make sure the tire is stored extension (7) through the hole in securely. If enabled through the DIC, the exterior lamps Press and hold for more than through the DIC, the horn chirps may turn on. Page 396 Vehicle Care 10-59 3. Infotainment System Infotainment Phone Introduction Bluetooth (Overview) ..7-19 System Bluetooth (Voice Infotainment Recognition) ....7-21 Bluetooth (Infotainment Base radio information is included in Controls - Base Radio) . to freeze and damage the The brake wear warning sound washer fluid tank and other means that soon the brakes will parts of the washer system. Use an adequate clamping Four-Wheel Drive Vehicles with a See Four-Wheel Drive on device designed for towing to Single Speed Automatic page 9-36. 10-6 Vehicle Care Change the engine oil at the 1. 9-58 Driving and Operating Cleaning the Sensing System Driver Assistance Warning (Continued) The radar sensor on the front of the Systems vehicle can become blocked by Under many conditions, these snow, ice, dirt, or mud. Page 22 In Brief 1-15 must be in the ACC/ACCESSORY Exterior Lighting For vehicles first sold in Canada, or ON/RUN position or using the off position will only work when Retained Accessory Power (RAP). Page 241 Climate Controls Front Climate Controls To improve fuel efficiency and to Press AUTO to return to automatic cool the vehicle faster, recirculation operation. 3-56 Seats and Restraints the instructions that come with the Warning (Continued) Warning child restraint say that the top tether must be attached. To help make sure the time of the crash. 9-62 Driving and Operating Assistance Systems for above 40 km/h (25 mph). Information 20. This allows Audible Touch This feature will set the maximum Feedback to be turned on or off. Page 141 Storage NOTES... The front axle is not needed, such as when driving on except when shifting from 4 . Lighting Lighting Features Exit Lighting The headlamps, taillamps, parking Entry Lighting lamps, back-up lamps, license plate lamps, and interior lamps come on The vehicle has an illuminated entry when the key is removed from the feature. Instruments and Controls 5-29 Cruise Control Light Adaptive Cruise Control Light Information Displays Driver Information Center (DIC) (Base Level) The DIC displays are shown in the center of the instrument cluster. Radio with TONE (Seek) (Favorite Pages) Infotainment System AM, FM, or SiriusXM (If Home Page (Home Page) Equipped): Press Press to go to the Home Home Page Features to seek to the previous or Page from any point in the next strong station. Two, General Motors of Canada Centre, 1-800-263-3777 (English), assistance. Disconnect the electrical Warning Filter connector (2) and the connector harness from the cover. Infotainment System 7-21 Audio System Pairing vehicle. This is FCC Information used when calling a menu-driven See Radio Frequency Statement on phone system. Page 114 Seats and Restraints 3-45 Also see Rear Safety Belt Comfort Warning (Continued) Guides under Lap-Shoulder Belt on page 3-22. If you add electrical parts or engine cranking. 5-14 Instruments and Controls Speedometer Trip Odometer Info Pages: Press while Info Pages is displayed to enter the Info The speedometer shows the The trip odometer can show how far Pages menu and select the items to vehicle's speed in either kilometers the vehicle has been driven since be displayed in the Info app. Vehicle Limited Warranty, and any All program options, such as shuttle related failures are not covered by Collision Parts service, may not be available at... inspection station. Page 442 Service and Maintenance 11-9 Battery Brakes Hoses The battery supplies power to start Brakes stop the vehicle and are Hoses transport fluids and should the engine and operate any crucial to safe driving. Drive the vehicle with the trailer The ITBC system first change or if trailer wheel lock-up attached on a level road surface... Slide belt, see Lap-Shoulder Belt on the guide onto its storage clip, or for page 3-22. See your dealer for service edges of the liftgate. Warning With head restraints that are not installed and adjusted properly, there is a greater chance that Adjust the head restraint so that the The height of the head restraint can occupants will suffer a neck/ top of the restraint is at the same... Saturate a clean lint-free Coated moldings should be cleaned. The driver will often need to take over acceleration and braking on steep hills, especially when towing a trailer. The refrigerant system should only be serviced by trained and certified technicians. Page 345 10-8 Vehicle Care Selecting the Right Engine Oil Engine Oil Additives/Engine Oil Flushes Selecting the right engine oil depends on both the proper oil Do not add anything to the oil. The the rear window defog button is Temperature Control: Press up or defogger also turns off if the ignition pressed. The belt force would then be According to accident statistics, applied right on the abdomen. Use feature to work. Diagnosis emission control system and service might be required. Lower the jack Wheel nuts that are improperly or sequence and to the proper completely. Page 33 1-26 In Brief To turn off both traction control The low tire pressure warning light Engine Oil Life System and StabiliTrak, press and alerts to a significant loss in The engine oil life system calculates hold until illuminate pressure of one of the vehicle's engine oil life based on vehicle use tires. 10-40 Vehicle Care Instrument Panel Fuse Block (Left) The left instrument panel fuse block access door is on the driver side edge of the instrument panel. Page 284 Driving and Operating 9-37 ignition is turned on and one will Shifting into 4 will turn Traction Warning stay on. Do not use the fuel if the Do not use fuel containing the fuel tank at every engine oil ethanol content is greater than 85%. between the hood and windshield, when washing the vehicle. If the memory position is still See Vehicle Personalization on Easy Exit Recall not recalling, see your dealer for page 5-47. commands. (2) Replace spark plugs. Vehicle Care 10-79 Jump Starting reduce electrical resistance. It may when using ACC. To remove the spare tire lock (6), insert the ignition key, turn it clockwise and then pull it straight out. When the engine starts, START position to continue let go of the key and accelerator. While driving under normal When the engine is running, this operating conditions, if the needle gauge shows the condition of the moves into the red warning area,... Using the Dial or Call Command 3. 10-66 Vehicle Care performance on the laboratory surface variations such as troughs Replace wheels, wheel bolts, wheel or ruts, is normal. Second Row Power Seat 5. Driving and Operating Steering or Cornering Skid The vehicle's right wheels can drop material on the road. 13-12 Customer Information Current and Past Models Radio Frequency Radio Frequency Identification (RFID) Statement Technical Service Bulletins and Manuals are available for current RFID technology is used in some This vehicle has systems that and past model GM vehicles. Pull the seat down until both belts and return them to their sides of the seat are latched to normal stowed position before the floor. 5. If no, weight and height limitations for that Older Children return to the booster seat. 10-32 Vehicle Care Fog Lamps 3. Page 380 Vehicle Care 10-43 The vehicle may not be equipped with all of the fuses, relays, and features shown. The diagnostic system is of the proper fuel to turn the light off. If cruise control is already active, If equipped, FCA may help avoid or use to increase vehicle speed. 1-22 Adjustment ....1-13 Lane Change Alert (LCA) . Customer Information 13-11 Managing the Vehicle Damage If another party's insurance Each bulletin contains instructions company is paying for the repairs, to assist in the diagnosis and Repair Process you are not obligated to accept a service of the vehicle. Page 265 9-18 Driving and Operating The GVWR includes the weight The label will help you decide Warning of the vehicle, all occupants, how much cargo and installed fuel, and cargo. The indicator light goes off. Driving and Operating 9-89 There is an electrical fault in the SERVICE TRAILER BRAKE Contact your trailer dealer for wiring to the trailer brakes. Open the hoist shaft access door (3) on the bumper to access the spare tire lock (6). display will default to 32°F but ground, the transmission could be will reset with normal usage. Insert the open end of the 7. Turn the key to LOCK/OFF, and remove the key. Then turn the key between the driver and front Access Vehicles Only) counterclockwise, to the unlock... 6. Page 428 Vehicle Care 10-91 Weatherstrips Wheels and Trim Aluminum Caution or Chrome Apply Dielectric silicone grease on weatherstrips to make them last Use a soft, clean cloth with mild To avoid surface damage, do not longer, seal better, and not stick or soap and water to clean the wheels. 9-42 Driving and Operating If driving safely on a wet road and it suddenly slows or stops. To adjust the lumbar support, see Lumbar Adjustment on page 3-4. General Motors of Canada also has a Mobility Program. Page 287 9-40 Driving and Operating 7. Place the guide over the belt, 3. Call 1-800-222-1020, or write: bag deployment or hitting a road about the vehicle s performance and obstacle, data that will assist in Chevrolet Motor Division how it is driven. Page 88 Seats and Restraints 3-19 Automatic Operation 2. 3. Online Owner Experience 1-800-263-3777 (English) (U.S.) my.chevrolet.com 1-800-263-7854 (French) (Warranty Tracking 1-800-263-3830 (For Text Information): Track the vehicle s The Chevrolet online owner Telephone devices (TTYs)) warranty information. Manual Reclining Seatbacks The seatback will automatically fold forward. It will check the engine, Diagnostics, Remote Door Unlock, transmission, antilock brakes, and Press to request account transfer... Function Check Warning Ignition Transmission Warning Lock Check When you are doing this check, the vehicle could begin to move. Do not spin the If the vehicle has P265/65R18, cooling, speedometer or wheels. Lenses, Emblems, Decals and Clear debris from the air intakes, Stripes Ice scrapers or other hard items. Adjust the outside mirror so that Folding Mirrors the side of the vehicle and the Power Folding area behind are seen. for a smoother ride. approximately one lane over from injury, death, or vehicle damage. 1-20 In Brief Satellite Radio Portable Audio Devices See Bluetooth (Voice Recognition) on page 7-21 or Bluetooth ® Vehicles with a SiriusXM satellite This vehicle may have a 3.5 mm (Overview) on page 7-19 or radio tuner and a valid SiriusXM (1/8 in) auxiliary input jack, SD card Bluetooth (Infotainment Controls - satellite radio subscription can... When high automatic operation and the system will run, unless the outside humidity is detected, the climate goes into manual mode. This will cause a emergency: the vehicle is stopped, press the loss of power assist in the brake 1. Page 213 Infotainment System NAV (Navigation, If Equipped): 2. Tilt the retainer and pull it and the cable and spring through the center of the wheel. Then release the 5. If the lights display ® Control and StabiliTrak off. both sides of the vehicle, or 3.5 m Before making a lane change, Lane Change Alert... Do not use these attempting to activate the Lane continued driving, the vehicle needs systems until the vehicle has been... Page 69 2-34 Keys, Doors, and Windows If an object is in the path of the sunroof while it is closing, the anti-pinch feature will detect the object and stop the sunroof. See Tire vehicle to your dealer for service. 14-6 OnStar Vehicle Diagnostics OnStar Additional How OnStar Service Works Automatic Crash Response, Information OnStar Vehicle Diagnostics can Emergency Services, Crisis Assist, perform a vehicle check every Stolen Vehicle Assistance, Vehicle Transferring Service month. Insert the vehicle key into the front of the storage area next to Programming without a key lock cylinder on the driver the center console storage area Recognized Transmitter (Keyless door handle. This Warning in the vehicle body from system allows the engine to operate damage or aftermarket Engine exhaust contains carbon on either all or half of its cylinders, modifications that are not... Page 461 Chevrolet dealer for General Motors North America and highway. 10-2 Vehicle Care Tire Terminology and Towing the Vehicle General Information Definitions ....10-51 Towing the Vehicle ..10-82 For service and parts needs, visit Tire Pressure . Page 133 3-64 Seats and Restraints Never put a rear-facing child seat in If the child restraint has the LATCH Warning (Continued) the front. 5-34 Instruments and Controls TRAILER GAIN shows the trailer Vehicle Messages the timer to zero, press and hold gain setting. See Instrument Cluster on speed. Fuel range cannot be reset. Instruments and Controls 5-23 If one or more of these conditions happen if the 12-volt battery has occurs, change the fuel brand used. Turn the ignition to ON/RUN with Use of the incorrect automatic When to Check and Change the engine off. If you change your indicate that an oil change is Remember to reset the oil life own oil, be sure to drain all the oil necessary. Instruments and Controls 5-47 ICE POSSIBLE DRIVE Vehicle Speed Messages Vehicle WITH CARE Personalization REDUCE SPEED FOR HILL This message displays when ice DESCENT CONTROL Use the audio system controls to conditions are possible. Learn to too much speed or steering in a off the edge of a road onto the recognize warning clues such curve causes tires to slip and shoulder while driving. vehicle, and the vehicle may not the climate control system. Driving and Operating 9-15 Vehicle Load Limits (B-pillar). Tire/Wheel Retainer 11. Page 60 Keys, Doors, and Windows 2-25 The vehicle is automatically the vehicle needs service. 9-78 Driving and Operating Maintenance when Trailer Warning Caution Towing The vehicle needs service more The driver can lose control when Pulling a trailer improperly can often when pulling a trailer. With the Keyless Access Cranking the engine for long the engine. Malfunction II system has detected a problem It should go out when the engine is and diagnosis and service might be Indicator Lamp started. This section describes additional maintenance items like the required maintenance for the tires, brakes, batteries, and wiper vehicle. When turned the windshield. Page 307 9-60 Driving and Operating coming from the left or right. Page 495 i-14 INDEX Where to Put the Restraint ..3-50 Windows ..... Uplevel DIC Only: Make sure the 5. Instruments and Controls Windshield Washer Rear Window Wiper/ return to your preset speed. Warning (Continued) Warning Keep windshield wiping equipment in good shape. Page 236 Infotainment System 7-29 2. Failure to Engine Compartment Overview on follow this procedure could cause page 10-5. 12-2 Technical Data Vehicle Data Capacities and Specifications The following approximate capacities are given in metric and English conversions. In Brief In Brief Mirror Adjustment ... Page 124 Seats and Restraints 3-55 Second Row Seat Bucket Second Row Seat 60/40 Third Row Seat For models with bucket second row For models with 60/40 second row For models with a third row seat, the seating, the top tether anchors are seating, the top tether anchors are top tether anchors are on the back at the bottom rear of the seat... Driving and Operating If the engine ever stops while the If the steering assist is used for an Steering in Emergencies vehicle is being driven, brake extended period of time, power There are some situations when normally but do not pump the assist may be reduced. Page 395 10-58 Vehicle Care The TPMS sensor matching Operating electronic devices or using a TPMS relearn tool, in the process was not done or not being near facilities using radio following order: driver side front tire, completed successfully after wave frequencies similar to the passenger side front tire, passenger rotating the tires. Signs of wear include streaking, skipping across the windshield, and worn or split rubber. turned on or off and selects Pairing in Infotainment Controls feedback. A child in a rear-facing child Secure rear-facing child restraints When the passenger sensing restraint can be seriously injured in a rear seat, even if the airbag system has turned off the front or killed if the passenger frontal... Page 190 Instruments and Controls 5-49 Audible Touch Feedback Select On, then press + or Auto Fan Max Speed increase or decrease the volume. Page 402 Vehicle Care 10-65 nominal rim diameters of graded 150 would wear one and straight-ahead braking traction 10 to 12 inches (25 to 30 cm), one-half (1½) times as well on tests, and does not include or to some limited-production the government course as a tire acceleration, cornering, tires. belt. USB Port While the USB source is active, use the corresponding faceplate buttons Root Directory Playing from a USB to operate USB function: The root directory is treated as a A USB mass storage device or (Seek Previous/Fast folder. 1-24 In Brief The vehicle may have up to five Lift the cover to access and replace Sunroof accessory power outlets: when not in use. Driving and Operating 9-27 To Use the Engine Coolant 4. This Access) clears the extra gasoline from 1. 5-10 Instruments and Controls The power outlet is not designed for Warning Lights, Gauges can indicate when there the following, and may not work could be a problem with a vehicle Gauges, and properly if they are plugged in: function. Open the hood on the other Caution Warning vehicle and locate the positive (+) and negative ( ) If any accessories are left on or Using an open flame near a terminal locations on that plugged in during the jump battery can cause battery gas to vehicle. It also describes some passengers to ride in any area of things not to do with safety belts. See Warning Vehicle Personalization on page 5-47. Page 331 9-84 Driving and Operating Since the vehicle is equipped with This will boost the vehicle system Tow/Haul Mode StabiliTrak, the trailer brakes cannot voltage and properly charge the tap into the vehicle's hydraulic battery. Also remote start the then request the Advisor to The vehicle has a WiFi hotspot that vehicle (if factory equipped) or download directions to the provides a high-speed, wireless unlock the doors from anywhere navigation system in the vehicle (if... This is where the Cluster Menu (Uplevel Cluster) calls, scroll through contacts, select selected Driver Information from the favorites, or change the There is an interactive display area Center (DIC) displays can be phone source. Lamps On Reminder The security light should come on This light comes on when the briefly as the engine is started. See there will be five 150 lb Certification/Tire Label later in passengers in your vehicle, this section. Fuel Delivery: Reimbursement after sending the original receipt If your dealer requests you to bring is up to 7 liters. Seats and Restraints 3-61 Securing Child Restraints If the child restraint has the LATCH sure to follow the instructions that system, see Lower Anchors and came with the child restraint. Page 261 9-14 Driving and Operating gears. 7-18 Infotainment System 5. This could much weight your vehicle can post (striker). Page 342 Vehicle Care 10-5 Engine Compartment Overview... If there is an active in the center of the instrument viewed. Retain all maintenance receipts. If a Bluetooth Connecting to a Different the in-vehicle Bluetooth system, it phone is not connected, calls can... when is pressed again within alarm. Page 223 7-16 Infotainment System iPhone 3G, iPhone 3GS, Auto Volume: If equipped, see The music information displays on iPhone 4 Playing an Audio CD. Battery Voltage and Charging Messages on page 5-35. Without releasing the button, proceed with Step 1 under Programming the Universal Remote System. Page 443 11-10 Service and Maintenance Shocks and Struts rubber; cracks or cuts in the Wheel Alignment tread or sidewall; or a bulge or Shocks and struts help aid in control Wheel alignment is critical for split in the tire. Pull up on the lever on the back 4. Monitor Operation on page 10-56. When lightly soiled, wipe with a cleaner or spot lifter. Page 238 Infotainment System 7-31 Explicit Language Notice: Channels patent rights, copyrights, and trade with frequent explicit language are secrets of Digital Voice indicated with an XL preceding the Systems, Inc. See Heated Mirrors on down to increase or decrease the is turned to ACC/ACCESSORY or page 2-28. Seats and Restraints 3-41 A thick layer of additional material, Warning Warning such as a blanket or cushion, or aftermarket equipment such as If the front outboard passenger Stowing of articles under the seat covers, seat heaters, and seat airbag is turned off for an passenger seat or between the massagers can affect how well the adult-sized occupant, the airbag... A separate booklet parameters of your dealer's area. Page 303 9-56 Driving and Operating A message will appear on the DIC Curves in the Road Warning (Continued) indicating that cruise is disengaging. Rear Air Delivery Mode Control 14. Channel blocking is General Requirements: available for SiriusXM Satellite 1. Digital Speedometer Average Fuel Economy Remaining Oil Life... Use of air fresheners may cause suction cup to the display. Press and release the SET Resuming a Set Speed desired set speed appears on control on the steering wheel. Do not race the system, the RKE transmitter periods of time, by returning the engine immediately after starting... Vehicle Care 10-25 How to Check Lubricant When to Change Lubricant Refer to Maintenance Schedule on page 11-2 to determine how often to change the lubricant. Vehicle Care 10-67 Tire Chains Caution Warning (Continued) Warning The wrong wheel can also cause traction device if it is contacting problems with bearing life, brake the vehicle. Vehicle Care 10-27 Federal law prohibits the following Engine: Starter Switch Check acts or the causing thereof: Removal or rendering engine speed 1. The indicator light will begin to flash after 20 seconds. Page 163 5-22 Instruments and Controls could damage the emission control The following may correct an Caution system on the vehicle. Page 326 Driving and Operating 9-79 The following information has many Trailer Weight Rating (TWR) is time-tested, important trailering tips calculated assuming the tow vehicle and safety rules. For example, the fuel is left in the tank. See Head tether, follow the child restraint Restraint Removal and manufacturer s instructions Reinstallation under Lower Anchors regarding the use of the top and Tethers for Children (LATCH tether. 3-48 Seats and Restraints Child Restraint Systems Warning Warning To reduce the risk of neck and A young child's hip bones are still head injury during a crash, infants so small that the vehicle's regular need complete support. by pulling rearward from the top 4. channel name. Vehicle Care 10-61 Adjust the front and rear tires to When It Is Time for New Warning (Continued) the recommended inflation Tires pressure on the Tire and off and cause an accident. Do raise the seatback. Page 424 Vehicle Care 10-87 Two-Wheel-Drive Vehicles and case into Two-Wheel Drive High. See Hood on page 10-4 Warning 2. Open the center console storage Replace the battery in the area and the storage tray. ACC uses a radar control: ACC has limited braking ability sensor. Page 272 Driving and Operating 9-25 Driver Information Center (DIC), allow the cranking motor to cool Caution hold the ignition switch in the down. MODE (Air Delivery Mode sun. Seats and Restraints Memory Seats Storing Memory Positions Manually Recalling Memory Positions To save positions to the 1 and 2 buttons: If the vehicle is OFF or not in P (Park), press and hold "1," "2," or 1. Page 493 i-12 INDEX Stoplamps and Back-up Lamps System (cont'd) Tires (cont'd) Noise Control ....10-26 If a Tire Goes Flat ..10-68 Bulb Replacement . Instruments and Controls GPS signal. 5-17 Lamps On Reminder . If it does not, This light comes on briefly when the have the vehicle serviced by your have the vehicle serviced by your... Page 193 5-52 Instruments and Controls Remote Lock Feedback Unlocked Door Anti-Lockout Select All Doors or Driver Door Only. if equipped. Certification/Tire Label Example 2 Example 3 1. Release the parking brake. See Parts after a Crash The airbag system does not need your dealer for service. Page 242 Climate Controls Changing the mode cancels the and the air conditioning compressor inside the vehicle. Perform a hot check at the first the dipstick and wipe it with a opportunity after the clean rag or paper towel. Page 394 Vehicle Care 10-57 buttons, tire pressure levels can be The TPMS can warn about a low TPMS Malfunction Light and viewed. 10-4 Vehicle Care This vehicle has an airbag system. Page 234 Infotainment System 7-27 4. The left switch raises the left 4. Vehicle Care 10-13 Consistency of Readings How to Inspect the Engine Air Cleaner/Filter Always check the fluid level at least twice using the procedure described To inspect the air cleaner/filter, previously. speed rating as the original Consider rotating the tires more Low-profile tires are more equipment tires. Page 438 Service and Maintenance 11-5 Maintenance Schedule Additional Required Services - Normal Rotate tires and perform Required Services. without a crash. Press and hold any one of the buttons. Dashes may appear in Driver Information Center It cannot be reset accurately until the TRAILER OUTPUT display if a (DIC) (Uplevel) the next oil change. 10-46 Vehicle Care Wheels and Tires M-Type Usage Warning (Continued) Fuses Tires and a serious crash. Test a small hidden area for colorfastness before 1. Vehicle Care 10-69 Tire Changing Warning Warning (Continued) Removing the Spare Tire and 6. Windshield Washer Fluid appropriate time. To check, grasp the child restraint at the safety belt path and attempt to move it side to side and back and forth. If possible, program speed dial See DSP in AM-FM Radio on or other shortcuts. Let the cover move forward to a High Voltage Power Outlet the full retracted position. 10-68 Vehicle Care A rear blowout, particularly on a Caution (Continued) Warning curve, acts much like a skid and may require the same correction as them. Mirror For vehicles with heated mirrors: The mirrors will not stay in the (Rear Window Defogger): unfolded position. Lift the lever. The lap belt could go up over lower lumbar support. hold both the hand-held There is no need to transmitter button and one of the complete Steps 4 6. Driving and Operating Allow enough following distance Control of a Vehicle Warning between you and the driver in Braking, steering, and accelerating front of you. If the hill is steep enough to stall the vehicle, If the vehicle has the two speed Heavy braking when going down it is steep enough to cause automatic transfer case, shifting a hill can cause your brakes to it to roll over. And do not connect the 9. See Shifting into non-conductive material to N (Neutral) under Four-Wheel prevent any contact with the Shifting a four-wheel-drive Drive on page 9-36 for the negative battery terminal. Page 75 Seats and Restraints Do not have a seatback reclined if To adjust a manual seatback: Power Reclining Seatbacks the vehicle is moving. 7-26 Infotainment System Clearing the System your cell phone manufacturer's user paired to the system. The original equipment floor Pull up on the rear of the driver side mats were designed for your floor mat to unlock each retainer Warning... locked and the climate control : Press and release to locate the system may come on. speed at which a tire can The ratings are molded into the Tire Pressure operate. engine cooling parts. See Remote Keyless Entry ignition is in ON/RUN or ACC/ liftgate is moving stops the liftgate. The first time number displays next to the M, the system engages for each indicating the current transmission... Page 268 Driving and Operating 9-21 To shift out of P (Park), the ignition Do not turn the engine off when the 4. Page 444 Service and Maintenance 11-11 Wiper Blades Wiper blades need to be cleaned and kept in good condition to provide a clear view. The sunshade must be position. Do not use diagnosis. frequent checks and services. Open the hood. If the band is broken remain off. Trained dealer technicians can check the wiper blades and replace them when needed. If frozen position to deactivate Rainsense. vehicle will be free to roll even N (Neutral) with the engine... Detect lane markings under zone and the system is clean, the When the vehicle crosses a... 3-22 Adding Equipment to the Safety Belt Use During Airbag-Equipped Vehicle . Page 41 Keys, Doors, and Windows If enabled through the DIC, the Press and hold for more than Caution exterior lamps may turn on. Page 87 3-18 Seats and Restraints The switches (1) can be used to fold To return the seatback to the upright Warning or fold and tumble the second row position: seats from the cargo area. Seats and Restraints To adjust a manual seat: Power Seat Adjustment To adjust the seatback, see Reclining Seatbacks on page 3-5. Select Enter to go to the following may be displayed: Navigation. Pull the handle at the front of the seat. See coolant fill procedure. OnStar services may require a paid subscription. Page 55 2-20 Keys, Doors, and Windows restarts the operation in the reverse while the liftgate automatically Pinch sensors are on the side direction. Page 171 5-30 Instruments and Controls Hourmeter recent driving history and the See Tire Pressure Monitor System amount of fuel remaining in the fuel on page 10-55 and Tire Pressure Unit tank. Driving and Operating 9-83 Towing Equipment Weight-Distributing Hitch the trailer to help prevent the tongue from contacting the road if it Adjustment Hitches becomes separated from the hitch. System responds: OnStar provides services including 4. vehicle. be folded. running. Vehicle Care 10-9 Used oil can be a threat to the OIL SOON message comes on to since the last oil change. Page 38 Keys, Doors, and Windows Programming with a Recognized Key (Key Vehicles Only) To program a new key: 1. Page 230 Infotainment System 7-23 2. Page 280 Driving and Operating 9-33 Use D (Drive) and Tow/Haul Mode In some cases, this could

appear to M (Manual Mode): This position when towing a trailer, carrying a be a delayed shift, however the allows selection of a range of gears heavy load, driving on steep hills, transmission is operating normally. page 5-44. lights do not turn on during a remote start. Climate Controls Maintenance 1. Page 47 2-12 Keys, Doors, and Windows 3. Page 200 Lighting Lighting Interior Lighting Exterior Lighting Instrument Panel Illumination Control ..... In addition to the standard console. 5-44 Instruments and Controls or appears repeatedly, take the If the warning comes on and stays light will also come on. headlamps turn off automatically 10 minutes after the ignition is (Headlamp High/Low-Beam AUTO (Automatic): Automatically... requires wearing safety belts. What to Use Refer to Recommended Fluids and Lubricants on page 11-12 to determine what kind of lubricant to use. Lighting For vehicles first sold in Canada, When the headlamps are turned on Headlamp High/ the off position will only work when while the vehicle is on, the Low-Beam Changer the vehicle is shifted into P (Park). Page 408 Vehicle Care 10-71 10. Page 263 9-16 Driving and Operating the front and rear axles. 2-22 Keys, Doors, and Windows Power Assist Steps obstruction, then open and close the Vehicle Security door on the same side to complete This vehicle has theft-deterrent the motion of the assist steps. Page 29 1-22 In Brief + RES: If there is a set speed in Forward Collision Alert memory press to resume that speed (FCA) System or press and hold to accelerate. AUTO: Automatically turns on the headlamps, parking lamps, taillamps, instrument panel lights, roof marker lamps (if equipped), and... Push the latch plate into the 4. Then, move the Transmission Fluid Use this procedure only as a shift lever back to P (Park). few seconds after you have finished Keep sparks, flames, and pumping before removing the smoking materials away... This could cause damage Caution (Continued) that would not be covered by the vehicle warranty. system was not being used at the crash. Manual Seats Lumbar Adjustment Manual Lumbar To adjust a power seat, if equipped: Move the seat forward or To adjust a manual seat: rearward by sliding the control 1. System OK, dialing 911. bulbs, see Replacement Bulbs on blade assembly (3). Say Delete all name tags. driver seatback. Do not vehicle on a long downhill slope reservoir filled. Do not release the button. Remote Door Unlock When on, this feature will keep the driver door from locking when the Remote Start Auto Cooled Seats Remote Start Auto Cooled Seats door is open and the key is in the If equipped and turned on, this Remote Start Auto Heat Seats... Page 214 Infotainment System adjust is to select a number from Rear Camera Clear All Private Data: This option 5 25 to show that selection of clears all private information from From the Rear Camera screen favorites. A pen or Air Filter pencil may be inserted through the end of the dampener string The filter removes dust, pollen, and other airborne irritants from outside to prevent the string from... 2-14 Keys, Doors, and Windows The rear defog and heated and The engine will turn off during a cooled seats, if equipped, may also remote vehicle start if: come on. The system automatically controls Temperature Control: The the fan speed, air delivery, air The recirculation light will not come temperature can be adjusted... the pretensioners and probably other parts of the vehicle's safety Move the adjuster up by pushing up belt system will need to be replaced. 9-44 Driving and Operating R (Reverse). Type a new number, then select SAVE or press the SAVE This allows passive locking to be Select to pair a new device. Page 334 Driving and Operating 9-87 A trailer with electric brakes has TRAILER GAIN: This setting can be The trailer's and the vehicle's brake become disconnected (a adjusted from 0.0 to 10.0 with either lamps will come on when either CHECK TRAILER WIRING a trailer connected or disconnected. Page 489 INDEX Messages (cont'd) Mirrors (cont'd) Engine Oil ....5-38 Manual Rearview ... Page 43 Keys, Doors, and Windows locking has occurred. Readjust Trailer Gain any time CHECK TRAILER WIRING: This Gain for each towing condition: vehicle loading, trailer loading, message will display if: or road surface conditions 1. Once the retainer is separated from the guide pin, tilt the retainer and pull it through the 2. Page 409 10-72 Vehicle Care 7. For third row seats (if equipped), the top tether anchor symbol is on the Second Row Bucket Third Row Seat... page 13-12. In addition, three beeps will Lane markings may not be detected be sounded from the left or right on curves, highway exit ramps, The LDW camera sensor is on the side, or the Safety Alert Seat will or hills;... Vehicle Care 10-53 Speed Rating determined by tire See Tire and Loading alphanumeric code assigned to manufacturers using Information Label under Vehicle a tire indicating the maximum government testing procedures. In Brief Instrument Panel Instrument Panel Overview... Press temperature is close to freezing. Use the Dial or Call command 2. For each press, the units. Service and Maintenance 11-15 Maintenance Records After the scheduled services are performed, record the date, odometer reading, who performed the service, and the type of services performed in the boxes provided. the copyright holder. Turn the MENU knob to highlight Albums: Bass, Midrange, Treble, Balance, and press to select a playlist 1. transmission reaches a normal operating temperature between 3. Page 23 1-16 In Brief Windshield Wiper/Washer : Push the paddle at the top of AUTO : Press to turn the lever to spray washer fluid on Rainsense on or off. 7-10 Infotainment System AM, FM, or SiriusXM (If Satellite Radio Browsing SiriusXM Channels Equipped): While on the active To browse the SiriusXM channels: ® SiriusXM Satellite Radio source main page, such as AM, FM, or SiriusXM (if equipped), press and Service 1. Page 351 10-14 Vehicle Care Replacing the Engine Air Cleaner/ 3. Push the replacement bulb Electrical System Exterior Lamp Bulb straight into the bulb socket and Number turn the bulb socket clockwise to Electrical System Low-Beam H11 LL install it into the lamp assembly. Use the following tools: 1. insurance that ensures repairs with telephone number. Page 173 5-32 Instruments and Controls L/100 km (mpg) recorded since the : Press to move between 6. 3-52 Seats and Restraints Lower Anchors and recommends that the booster seat The following explains how to attach be secured with the LATCH system, a child restraint with these Tethers for Children this can be done as long as the attachments in the vehicle. Instruments and Controls 5-19 cycle continues several times if the and diagnostic module. These parts of the body are best able to take belt restraining forces. Sunroof Open/Close: To open the sunroof, press and hold switch (1) until the sunroof reaches the desired position. See OnStar Overview on page 14-1, Bluetooth (Voice Recognition) on page 7-21 or Bluetooth (Overview) on page 7-19 or Bluetooth (Infotainment Controls - Base Radio) on page 7-26, or Bluetooth (Overview) in the... 2015 Chevrolet Tahoe/Suburban Owner Manual In Brief .....1-1 Storage ..... 10-64 Vehicle Care The Tire and Loading Uniform Tire Quality Warning Information label indicates the Grading original equipment tires on the If different sized wheels are used, Quality grades can be found vehicle. Page 378 Vehicle Care 10-41 The vehicle may not be equipped Number Usage Number Usage with all of the fuses, relays, and Steering Wheel Heater, Ventilation features shown. When the engine keyless ignition with pushbutton and the windshield wipers operate starts, release the key. 2-30 Warning Power .....2-31 Brake System Light . Page 108 Seats and Restraints 3-39 For some children, including If the On Indicator is Lit for a 4. Say Transfer Call. In a safety belt may not remain low on crash, if an infant is in a the hip bones, as it should. Instruments and Controls 5-17 Engine Coolant Voltmeter Gauge Temperature Gauge English This gauge measures the temperature of the vehicle's engine When the ignition is on, this gauge Metric coolant. Page 128 Seats and Restraints 3-59 Head Restraint Removal and Reinstallation 1. damping system called give more traction on snow, mud, When HDC is set, that is the initial ®... Reverse Steps 1 3 for wiper parking brake followed by the blade replacement. Flip the handle up, then pull out 6. 9-24 Driving and Operating The ignition will switch from ACC/ The instruments and audio systems Warning ACCESSORY to OFF after will operate as they do in ON/RUN, five minutes to prevent battery but the vehicle will not be able to be Turning off the vehicle while rundown. Park the vehicle on a level before the requested mode 2. Be sure you replace a bad fuse with a new Windshield Wipers one of the identical size and rating. Say Digit Store. If comes on systems on for normal driving is in the instrument cluster. See must be in ON/RUN or ACC/ vehicle is moving. Number Usage Not Used Not Used Not Used Not Used Accessory Power Outlet 4 Not Used Not Used Not Used Not Used Glove Box Not Used Not Used Not Used Steering Wheel... Page 227 7-20 Infotainment System Bluetooth Controls PHONE: Select to enter the phone Warning (Continued) main menu. Pick a name tag. Page 186 Instruments and Controls 5-45 four-wheel-drive system cools down, GRADE BRAKING OFF SERVICE 4WD the message turns off and the This message displays when grade If the vehicle has four-wheel drive, four-wheel-drive system returns to braking has been disabled with the this message may display if a normal operation. operating range indicate a possible becomes unbuckled while the This is normal. Page 92 Seats and Restraints 3-23 If the shoulder portion of a For front seating positions, if the 3. Delete All Name Tags: This command deletes all stored name 3. The traction off light If equipped, HDC can be used when cluster. See your dealer. Page 95 3-26 Seats and Restraints Warning (Continued) and across the chest. The wireless service Services for People with OnStar Personal Identification provider must also have coverage, Disabilities Number (PIN) network capacity, reception, and Advisors provide services to help A PIN is needed to access some of technology compatible with OnStar subscribers with physical disabilities the OnStar services, like Remote... With Automatic Crash Response, Obtain the WiFi network name, Be a Good Samaritan or the OnStar system can... Press either (1) or (2) again to deselect the mirror. Do not allow properly. Instruments and Controls Power Tilt and Telescope Steering Steering Wheel Controls ® (Talk): For vehicles with OnStar Wheel ® or a Bluetooth system, press to interact with those systems. Get help for an emergency. Remove any additional material restraint and restarting the from the seat, such as blankets, Adult-Sized Occupant vehicle, the on indicator is still lit, cushions, seat covers, seat turn the vehicle off. See momentarily when the ignition is in Traction Control/Electronic Stability Shifting the transfer case to ON/RUN, but none stay on, the Control on page 9-44. If using this mixture, Warning mixture can freeze and crack nothing else needs to be added. 9-26 Driving and Operating Starting Procedure (Keyless starts briefly but then stops Caution again, do the same thing. Automatic Operation may be automatically selected in Driver and Passenger warm weather. Page 420 Vehicle Care 10-83 Dinghy Towing Two-wheel-drive vehicles should not Caution be towed with all four wheels on the Two-Wheel-Drive Vehicles ground. Page 142 Instruments and Controls Instruments and Engine Coolant Temperature Front Fog Lamp Light ..5-28 Gauge ..... In the event that the vehicle requires repair valuation based on that Owner Information... Repeat Steps 2 4 two more Remote Keyless Entry Recognized Key (Key times. To decline a call, do one of the To decline a call waiting call, do one 3. Use of a shield mounted in front Four-Wheel-Drive Vehicles of the vehicle grille could restrict airflow and cause damage to the transmission. including the spare tire, if the the size or location of the vehicle has one, be inspected... Remove the headlamp bulb assembly cover by turning it The high intensity discharge counterclockwise. periods of time. Turn the wing nut retaining the To access the spare tire, refer to the wheel blocks (2) following graphics and instructions: counterclockwise to remove the wheel blocks and the wheel block retainer. Do not load the vehicle any heavier than the Gross The Certification/Tire label also Using heavier suspension... There may be Ride Control Systems StabiliTrak activates when the situations on minor hills (less than vehicle senses a difference between 5% grade) with a loaded vehicle or the intended path and the direction Traction Control/ while pulling a trailer where HSA will the vehicle is actually traveling. If an object is liftgate handle cannot be used to before using the power liftgate. severe side crashes depending upon the location of the impact, This vehicle is equipped with... Driving and Operating 9-35 Tow/Haul Mode Gear before shifting from D (Drive) to M (Manual Mode) Range after shifting from D (Drive) to M (Manual Mode) Grade Braking is not available when Low Traction Mode Range Selection Mode is active. Instruments and Controls 5-31 when the oil has just been changed. Page 492 INDEX i-11 Safety Belts (cont'd) Security Shifting Reminders ....5-18 Light .....5-28 Into Park . Page 400 Vehicle Care 10-63 If proper rotation and Warning Warning maintenance have been done, all four tires should wear out at Mixing tires of different sizes, Using bias-ply tires on the about the same time. outlet. better, and not stick or squeak. on, there may be a problem with the Pressure Light on page 5-27. Introduction : Audio Steering Wheel Controls : Safety Belt Reminders ® or OnStar (if equipped) : Tire Pressure Monitor : Brake System Warning Light : Tow/Haul Mode : Charging System ® : Traction Control/StabiliTrak : Cruise Control : Windshield Washer Fluid : Engine Coolant Temperature : Exterior Lamps : Fog Lamps... Page 194 Instruments and Controls 5-53 Passive Door Lock Pair New Device button. Immediately press and hold Warning (Continued) turned on and then back off to use for at least four seconds or until remote start again. Adaptive Cruise Control will not detect or brake for children, (Follow Distance Gap): Press to select a following gap time (or pedestrians, animals, or other distance) setting for ACC of Far, objects. See Fog Lamps on page 6-5 for more information. 10-10 Vehicle Care The oil life system can also be reset Automatic Transmission Caution as follows: Fluid 1. Air Vents on page 8-6. If equipped, the vehicle may have Press to cool the driver or heated or heated and cooled seats. Load Limits on page 9-15. Page 122 Seats and Restraints 3-53 Top Tether Anchor The child restraint may have a Lower Anchor and Top Tether single tether (3) or a dual tether (4). Say Call. position: Reclining Seatbacks Press to heat the left Warning To recline the seatback: outboard or right outboard seat cushion. Seats and Restraints 3-11 If equipped, the buttons are on the Second Row Seats To return the seatback to the upright rear of the center console. Vehicle Care 10-21 displays, washer fluid will need to Caution (Continued) Warning be added to the windshield washer fluid reservoir. 10-24 Taillamps, Turn Signal, Four-Wheel Drive . 1-10 In Brief Third Row Seats Heated and Cooled Front Press to heat the driver or Seats passenger seat cushion and If equipped, third row seatbacks can seatback. found, the response will be Directory and the Destinations ... Replace if needed. If the Immobilizer Operation immobilized when the vehicle is vehicle does start, the first key may (Keyless Access) turned off. happens, you and other vehicle Using the brakes to slow the Keep the windshield washer fluid occupants could drown. Change engine oil and filter, if needed. Page 239 7-32 Infotainment System NOTES... Say Voice. ignition. With the driver door Warning (Continued) open, you will find the label It is very important to know how attached below the door lock vehicle handles. Customer Information 13-13 Reporting Safety To contact NHTSA, you may call Reporting Safety Defects the Vehicle Safety Hotline to the Canadian Defects toll-free at 1-888-327-4236 Government (TTY: 1-800-424-9153); go to Reporting Safety Defects ; or If you live in Canada, and you to the United States write to: believe that the vehicle has a safety... ACCESSORY and the regular brake loss of power assist in the brake pedal must be applied. Press a new bulb into the License Plate Lamp socket, insert it into the taillamp assembly, and turn the bulb socket clockwise until it clicks. the transfer case is in. Aftermarket appearance caps or Use only lukewarm or cold water, a covers while the lamps are... Be sure that the belt is not and insert the two edges of the twisted and it lies flat. This section provides a brief overview about some of the 21. If you can leave the vehicle with the ignition key in your with a N (Neutral) position, and And, if you leave the vehicle with hand, the vehicle is in P (Park). Page 407 10-70 Vehicle Care 5. If the features; however, they do not make obstruction is not cleared, the assist the vehicle impossible to steal. Vehicle Care 10-35 5. Use a Fans or other moving engine dead battery because this can remote negative ( ) terminal if... See Jump 10. Page 427 10-90 Vehicle Care Solvents, alcohols, fuels, Cleaning Exterior Lamps/ Air Intakes or other harsh cleaners. Positive (+) Terminal. Turn the MENU knob and press Declining a Call Declining a Call Waiting Call to select Keypad. Vehicles with a Center Console One in front of the cupholders on Universal Remote System the center console. Genuine GM Original Equipment Insuring the Vehicle Driver license number. Keys, Doors, and Windows 2-17 Automatic Door Locks Doors The vehicle may have an automatic Liftgate lock/unlock feature. Page 487 INDEX General Information Heated Indicator Service and Maintenance ..11-1 Rear Seats ....3-10 Vehicle Ahead ....5-25 Towing . be faulty. Seats and Restraints 3-63 6. Vehicle speed Equipment on page 9-83 for must be reduced. Page 58 Keys, Doors, and Windows 2-23 Start the vehicle. 10-34 Vehicle Care 7. Page 451 11-18 Service and Maintenance Odometer Date Serviced By Services Performed Reading... that there are no cracks or leaks. Page 48 Keys, Doors, and Windows 2-13 To start the vehicle: Battery Replacement To replace the battery: 1. 10-22 Vehicle Care proper sequence to torque new, approved replacement parts. Page 46 Keys, Doors, and Windows 2-11 3. See once a year and the oil life system Exterior Care on page 10-88. slow aging. See Starting the Exterior Mirrors transmitters matched to an Vehicle with a Low Transmitter immobilizer control unit in the under Remote Keyless Entry (RKE) Convex Mirrors vehicle. such as behind a motor home, see Caution Recreational Vehicle Towing 12. For more information on vehicle capacity and loading, see Vehicle Load Limits on page 9-15. The dimming feature adult, or a pet alone in a vehicle, comes on when the vehicle is especially with the windows started. Driving and Operating 9-75 Do not tow a trailer during the Trailer Towing Warning first 800 km (500 mi) to prevent damage to the engine, axle, General Towing When towing a trailer, exhaust or other parts. (2) Change automatic transmission fluid. Before starting the engine, be These features work when the key sure to unplug and store the is in ON/RUN or ACC/ Heater cord as it was before to keep it ACCESSORY. Turn the MENU knob and press cell phone to be paired to the to select Manage Phones. Page 300 Driving and Operating 9-53 Press and hold +RES until the 3. If the position you are using has a fixed or an adjustable head restraint and you are using a dual tether, route If the position you are using the tether around the head... Rear AUTO (Automatic cooling, and ventilation. The turn signal lamps flash When replacing the battery, do page 5-47. Pull lightly on the cover holder to Roof Rack System Caution make sure it is secure. Insert the original, already programmed key in the ignition and turn the key to the ON/RUN position. If the vehicle has an uplevel 8. nozzle. à l'adresse Refer to the purchase this manual including, but not limited savant: documentation relating to your to, GM, the GM logo, CHEVROLET, Helm, Incorporated specific vehicle to confirm the the CHEVROLET Emblem, TAHOE, Attention: Customer Service features. gases may collect at the rear of Information Then during the first 800 km the vehicle and enter if the... Infotainment System 7-13 Press and hold to fast reverse There can be increased skipping, damaged or improperly loaded, through a track. 10-78 Vehicle Care 5. not let it twist. See Collision/Detection speed increases or decreases to Warning (Continued) Systems under Vehicle follow the vehicle in front of you, but Personalization on page 5-47. Page 67 2-32 Keys, Doors, and Windows window will need to be window returns to normal operation In this mode, the window can still reprogrammed for the express-up once the obstacle or condition is close on an object in its path. Driving with the engine oil low can also damage the engine. SiriusXM Satellite Radio Service No XM Signal/Reception May Be provides digital radio reception. Proceed to the passenger side Tire Pressure info page option is front tire, and repeat the DIC, press and hold the (Set/ turned on. Page 81 3-12 Seats and Restraints Manual Fold and Tumble 2. Do not let Battery posts, terminals, and charger. See Park Brake and P (Park) Mechanism Check on page 10-28. reference to determine if the Caution 4. See Management electrical loads. Page 483 INDEX Automatic Bluetooth Bulb Replacement (cont'd) High Intensity Discharge Door Locks ....2-17 Overview ..7-19, 7-21, 7-26 Headlamp System . Clicking on the "view full screen" button will take you to a full screen version of the manual. See OnStar Overview on page 14-1. the turn signal lamps flash. If programmed on in the vehicle service. Keys, Doors, and Windows Keys, Doors, and Automatic Door Locks ..2-17 Folding Mirrors ....2-27 Lockout Protection ... If, after reinstalling the child If the Off Indicator Is Lit for an 2. Use only industrial chimneys, etc., can cleaning instructions: non-abrasive waxes and polishes... This will cause a Parking Brake on page 9-42. System responds: 4. ®... Pick up the latch plate, and run 3. Driving and Operating 9-13 If it takes some time for help to Warning Warning (Continued) arrive, now and then when you run the engine, push the accelerator Fully open the air outlets on Snow can trap engine exhaust pedal slightly so the engine runs or under the instrument under the vehicle. If you find the way, the child restraint before it reaches the buckle, tilt that the latch plate will not go... Keys, Doors, and Windows 2-27 Power Mirrors 3. Page 84 Seats and Restraints 3-15 Folding and Tumbling the Seat 2. Page 301 9-54 Driving and Operating Reducing Speed While ACC is at a Selecting the Follow Distance Gap range of selectable gaps may not be Set Speed appropriate for all drivers and When a slower moving vehicle is driving conditions. warranty service, or if the vehicle Chevrolet reserve the right to make was in a crash and cannot be any changes or discontinue the driven. In Brief 1-21 Cruise Control ® : If equipped with OnStar or a ® Bluetooth system, press to interact with those systems. This Caution is located on the passenger For more information about the side, in the rear of the engine Ignoring these steps could result vehicle battery, see Battery on compartment. Page 304 Driving and Operating 9-57 Other Vehicle Lane Changes Do not use ACC when driving on steep hills or when towing a trailer. In Brief 1-25 Open/Close: To open the sunroof, The sunroof also has a sunshade Performance and press and hold switch (1) until the which can be pulled forward to block Maintenance sunroof reaches the desired sun rays. 9-64 Driving and Operating Unnecessary Alerts Active Emergency Warning Braking System FCA may provide unnecessary alerts for turning vehicles, vehicles ACP is an emergency crash If the vehicle has Adaptive Cruise in other lanes, objects that are not preparation feature and is not Control (ACC) it also has the Active vehicles, or shadows. Consistency (repeatable remove the engine air cleaner/filter readings) is important to maintaining from the vehicle by following proper fluid level. Page 374 Vehicle Care 10-37... Press speakers. Keys, Doors, and Windows 2-29 vehicle. 10-96 Vehicle Care Care of Safety Belts Use the following guidelines for Removing and Replacing the proper floor mat usage: Floor Mats Keep belts clean and dry. Lighting one second will cause the turn Fog Lamps When the fog lamps are turned on, signals to flash until the lever is the parking lamps automatically released. Driving up hills Warning recreational driving and obey all can cause the vehicle to stall. 1-14 In Brief Throttle and Brake Pedal See Adjustable Throttle and Brake To change the dome lamp settings, Pedal on page 9-20. OnStar 14-1 OnStar OnStar Overview vehicle, including location information. Page 481 14-10 OnStar Uwe Rommel, Steve Salisbury, this list of conditions in thereof, including, but not limited Dave Smith, Steven M. If enabled through the DIC, the horn chirps (RKE) System Operation when is pressed again within (Key Access) three seconds. 5-36 Instruments and Controls Heavy rain or snow is interfering When this message displays, power Cruise Control Messages with the radar object detection or is no longer available to the trailer camera performance. Page 120 Seats and Restraints 3-51 Depending on where you place the Warning (Continued) Caution child restraint and the size of the child restraint, you may not be able front passenger airbag inflates A child in a child restraint in the to access adjacent safety belt and the passenger seat is in a center front seat can be badly assemblies or LATCH anchors for... 13-14... Page 299 9-52 Driving and Operating (Cancel): Press to disengage Warning ACC without erasing the selected set speed. 10-62 Vehicle Care See Tire Inspection on page 10-60 least a month in a cool, dry, clean GM's exclusive TPC Spec and Tire Rotation on page 10-60 for area away from direct sunlight to system considers over a dozen additional information. Page 3 2015 Chevrolet Tahoe/Suburban Owner Manual Jump Starting ....10-79 OnStar ..... In Brief 1-23 indicator will change to amber and Rear Vision See Assistance Systems for Parking flash. Page 105 3-36 Seats and Restraints The parts of the airbag that come Warning (Continued) Warning (Continued) into contact with you may be warm, but not too hot to touch. 3-44 Seats and Restraints Can proper safety belt fit be Child Restraints The manufacturer instructions that maintained for the length of the come with the booster seat state the trip? 9-68 Driving and Operating If the LCA displays do not light up sensor to detect the lane markings. Park on a level surface. Storage On the rear of the console, there is Additional Storage 2. transmission fluid may damage Automatic Transmission Fluid the vehicle, and the damage may 2. Press and hold the switch (2) on 3. 14-2 OnStar Give OnStar Turn-by-Turn OnStar Services Press to get a priority connection Navigation voice commands. Once connected, the person called Call Waiting will be heard through the audio Call waiting must be supported on Using the Digit Dial Command speakers. Page 439 11-6 Service and Maintenance Footnotes Maintenance Schedule Additional Required Services - Normal (1) Check all fuel and vapor lines and hoses for proper hook-up, routing, and condition. With the coolant surge tank Caution pressure cap off, start the engine and let it run until the If the pressure cap is not tightly engine coolant temperature installed, coolant loss and gauge indicates approximately possible engine damage may 90°C (195°F). Connect the black negative ( ) Warning negative ( ) cable to the cable to the negative ( ) terminal negative ( ) terminal on the of the good battery. on and FRONT is in one of the Rainsense wipe sensitivity Rainsense positions, the wipers can be... 10-88 Vehicle Care Appearance Care washed. high-beam headlamps to signal a When the exterior lamp control is driver in front of you that you want The exterior lamp control is set to AUTO and it is dark enough to pass. Service and Maintenance 11-1 Service and General Information technicians, the dealer is the place for routine maintenance such as oil Maintenance Your vehicle is an important changes and tire rotations and investment. Page 146 Instruments and Controls Clear ice and snow from the wiper Rainsense Move the band out of the blades before using them. Turn the wheel wrench Warning Caution (Continued) counterclockwise to lower the vehicle. Page 328 Driving and Operating 9-81 Ask your dealer for trailering information or advice. Page 417 10-80 Vehicle Care 5. that weighs more than 100 kg The slots furthest forward allow If something is carried on top of (220 lb) or hangs over the rear or... Complete attention is always Using the Automatic Collision required while driving, and you Preparation System while towing Warning should be ready to take action a trailer could cause you to lose... Page 232 Infotainment System 7-25 3. move the front passenger seat as For most basic types of child far back as it will go. In Brief 1-11 Safety Belts Passenger Sensing The passenger airbag status indicator will light on the overhead System console when the vehicle is started. 9-48 Driving and Operating turned to ON/RUN and will Cruise Control This vehicle has a Hydra-Matic automatically adjust vehicle height 6-speed automatic transmission. For additional information tire pressure condition but it does Message and details about the DIC operation not replace normal tire The TPMS will not function properly and displays, see Driver Information maintenance. Reinstall the taillamp cover by snapping it into place. to an OnStar Emergency Advisor Requires the available Directions available 24/7 to: Emergency & Connections service plan. Normally, any concerns General Motors ... 3-50 Seats and Restraints Children can be endangered in a Administration (NHTSA) website to Whenever possible, children age crash if the child restraint is not locate the nearest child safety seat 12 and under should be secured in properly secured in the vehicle. with Keyless Access a locked vehicle can be opened if the 3/4: The liftgate power opens to You, or others, could be injured if... Page 82 Seats and Restraints 3-13 Folding and Tumbling the Seat from the Third Row Seat Warning Using the third row seating position while the second row is folded, or folded and tumbled, could cause injury in a sudden stop or crash. Select to change the display of the Backing on page 9-59. See Heated and Cooled The coolant temperature gets Front Seats on page 3-9 and too high. The lever returns to its starting When the headlamps are changed position whenever it is released. to select Manage Phones. Press while an item is last time this menu item was reset. 11-12 Service and Maintenance Recommended Fluids, Lubricants, and Parts Recommended Fluids and Lubricants Fluids and lubricants identified below by name, part number, or specification can be obtained from your dealer. It is better not to park with the If equipped, there is an electronic engine running. Vehicle Care 10-33 Taillamps, Turn Signal, Stoplamps, and Back-Up Lamps 2. If ACC is already activated, do one detected ahead within the selected of the following: following gap, ACC will adjust the... See Towing instrument cluster. Page 256 Driving and Operating If an incline must be driven 3.2. Stay clear of the path the affects steering, accelerating, and across, and the vehicle starts to vehicle would take if it braking. Turn the MENU knob and press 2. Part GM Part Number ACDelco Part Number Engine Air Cleaner/Filter 22845992 A3181C Oil Filter 89017525 PF63 Passenger Compartment Air Filter 22808781 CF188 Spark Plugs... This Wipe excess moisture from these permanent damage to plastics may cause damage and would surfaces after cleaning and allow and painted surfaces. Page 356 Vehicle Care 10-19 In addition, there are ENGINE If Steam is Coming from the If No Steam is Coming from OVERHEATED STOP ENGINE, Engine Compartment the Engine Compartment ENGINE OVERHEATED IDLE The ENGINE OVERHEATED STOP ENGINE, and ENGINE POWER IS Warning ENGINE or the ENGINE REDUCED messages in the Driver... The vehicle can slip The equipment needed to change a opposite corner of the tire off the jack and roll over or fall flat tire is stored in the rear of the... Push, pull, and then try the rear bumper (8) (hoist shaft to turn the tire. Due to protection! This includes infants and wrapped around a child s neck. RADIO Press to change the audio source between AM, FM, or SiriusXM, if equipped. press the following: Adjustment The vehicle may have a memory OFF: Turns the lamps off, even If equipped, the position of the function, which lets pedal settings when a door is open. See OnStar s Terms and Conditions and Privacy Statement for more details including OnStar Overview system limitations at OnStar Overview ... Page 182 Instruments and Controls 5-41 LANE DEPARTURE WARNING Adaptive Cruise Control (ACC), SERVICE SIDE DETECTION Forward Collision Alert (FCA), and UNAVAILABLE SYSTEM Active Emergency Braking System This message displays when If this message remains on after may not work. See Keyless Access Operation later in this section. Tilt the tire toward the vehicle with some slack in the cable to access the tire/wheel retainer. The infotainment system displays a system. Press . tires. Instruments and Controls 5-27 If the indicator/warning light is on A Driver Information Center (DIC) Low Fuel Warning Light and flashing, the TCS and/or the tire pressure message may also StabiliTrak system is actively display. for the vehicle covers the need The passenger sensing system to replace other parts. 11. Page 375 10-38 Vehicle Care Item Usage Item Usage Real Time Right Parking Electric Running Boards Dampening Lamps Antilock Brake Fuel Pump Power Left Parking Lamps System Pump Module Upfitter 3 Interior BEC LT1 Spare/Battery Automatic Level Regulated Voltage MBS Passenger Control Run/Crank Control Suspension... Page 490 INDEX Outlets Phone Engine .....10-6 Power .....5-8 Bluetooth . Bluetooth (Overview) page 7-8. Page 116 Seats and Restraints 3-47 weight, height, and age but also Warning (Continued) whether or not the restraint will be compatible with the motor the front outboard seat, always vehicle in which it will be used. Seats and Restraints 3-21 safety belts. Driving and Operating 9-47 HDC light indicates that the system Magnetic Ride Control Locking Rear Axle is actively applying the brakes to This vehicle may have a semi-active Vehicles with a locking rear axle can maintain vehicle speed. See Engine Oil Starting on page 10-79. Everyone in the should sit as far back as possible Children who are up against, vehicle should wear a safety belt while still maintaining control of or very close to, any airbag when properly, whether or not there is the vehicle. Follow the instructions the vehicle's safety belt through that came with the child restraint. They could operate the Key Access One of the following keys comes power window or other controls or... will not exceed the set speed. See E85 or FlexFuel on top off or overfill the tank and wait a page 9-72. Reinstall the taillamp assembly and tighten the screws. Page 488 INDEX LED Lighting ....10-31 Lights (cont'd) ® StabiliTrak Level Control OFF ... Page 418 Vehicle Care 10-81 too. Rear Climate Control Power Transmission Button This system controls the heating, Range Selection Mode 10. Press the plus/minus buttons, Automatic Transfer Case The transfer case knob is to the left located on the steering column of the instrument cluster. Page 463 13-8 Customer Information Courtesy Transportation is not a one-way or round-trip shuttle service Courtesy Rental Vehicle part of the New Vehicle Limited within reasonable time and distance Your dealer may arrange to provide Warranty. Using a mild cleaners or techniques: dampened with water. Page 286 Driving and Operating 9-39 ON/RUN. Instruments and Controls 5-35 Battery Voltage and SERVICE BATTERY Brake System Messages CHARGING SYSTEM Charging Messages BRAKE FLUID LOW On some vehicles, this message BATTERY LOW START This message is displayed when the displays if there is a problem with VEHICLE brake fluid level is low. See of the vehicle. Seats and Restraints If equipped, press and hold the If equipped, move the lever up or Warning (Continued) control up to increase upper down repeatedly to increase or lumbar support and decrease decrease lumbar support. then press the ENGINE START/ To program additional STOP button. Stop pressing the slow down until it stops. There are only two reasons why the specifications. out of the retractor to set the the vehicle's safety belt through lock. AUTO (Automatic Operation) the side of the vehicle facing the 3. thereafter. Push the release lever (2) to Headlamp Aiming Bulb Replacement disengage the hook and push Headlamp aim has been preset and For the proper type of replacement the wiper arm (1) out of the should need no further adjustment. 10-26 Vehicle Care What to Use out along the axle tubes and has The proper level is 1.0 mm to not drained back to the sump area. Pointed Down) and Tools Refer to the following graphics and 10. Driving and Operating 9-59 Audible or Safety Alert Seat When the vehicle is shifted into Warning (Continued) R (Reverse), the RVC displays an Some driver assistance features image of the area behind the vehicle alert the driver of obstacles by traffic. 8. Page 255 Driving and Operating Never try to turn the vehicle Warning Warning around. If the child restraint has a top seating position is used. Page 431 10-94 Vehicle Care Coated Moldings To clean: cleaner or spot lifter. A computer system called OBD II Malfunctions often are indicated by If the light stays on, or comes on (On-Board Diagnostics-Second... Page 221 7-14 Infotainment System There are load or eject errors. Keys, Doors, and Windows Remote Keyless Entry (RKE) System Operation (Keyless Access) The Keyless Access system allows for vehicle entry when the transmitter is within 1 m (3 ft). Turn the MENU knob to highlight through all of the available audio If an auxiliary device has already and press to select the song source screens, until the SD card been connected, but a different from the list to begin playback. See SERVICE THEFT DETERRENT StabiliTrak system has been turned your dealer. This could cause an issue with sunroof operation or noise. Infotainment System The infotainment system has built-in Theft-Deterrent Feature features intended to help avoid ® TheftLock is designed to distraction by disabling some discourage theft of the vehicle's functions when driving. 5-16 Instruments and Controls Engine Oil Pressure See OIL PRESSURE LOW STOP ENGINE under Engine Oil Gauge Messages on page 5-38 and Engine Oil on page 10-6. To recline, move the seatback rearward to the desired position, If either seatback is not locked, it then release the lever to lock the... If the transfer case is in To limit wheel spin and realize the This message displays when there... Page 486 INDEX Exterior Lamp Controls ..6-1 Forward Collision Alert Fuses .....10-36 Exterior Lamps Off Reminder . Manage Favorites Turn the vehicle to ON/RUN to Manually set the time and date. Page 354 Vehicle Care 10-17 Checking Coolant Caution The coolant surge tank is in the engine compartment on the This vehicle has a specific passenger side of the vehicle. 9-70 Driving and Operating LDW warnings may occur due to tar Fuel If the vehicle has a yellow fuel cap, marks, shadows, cracks in the road, E85 or FlexFuel can be used in the Use of the recommended fuel is an or other road imperfections. Press windshield. Instructions about safety chains The correct hitch equipment helps may be provided by the hitch maintain combination control. Storage 5. or melted, replace the fuse. Storage Storage Storage If equipped with storage behind the radio, press and hold to open. Page 270 Driving and Operating 9-23 Stopping the Engine/LOCK/ Do not turn the engine off when the If the vehicle must be shut off in an OFF (No Indicator Lights): When vehicle is moving. in costly damage to the vehicle page 10-24. Say Bluetooth. See pulling a trailer if the correct damage the vehicle and result in Maintenance Schedule on equipment is not used or the costly repairs not covered by the... Usage Fluid/Lubricant ® Engine Oil Use only engine oil licensed to the dexos1 specification of the proper SAE viscosity grade. Page 491 i-10 INDEX Recreational Vehicle Retained Accessory Towing ..... the amount of available cargo and luggage load capacity is Steps for Determining Correct 650 lbs. With Rainsense, a sensor near the to the windshield, carefully loosen or top center of the windshield detects thaw them. desired speed. Shift Parking on Hills 3. Page 44 Keys, Doors, and Windows Keyless Unlocking/Locking from Keyless Unlocking/Locking from the Driver Door the Passenger Doors When the doors are locked and the When the doors are locked and the RKE transmitter is within 1 m (3 ft) RKE transmitter is within 1 m (3ft) of of the door handle, pressing the the door handle, pressing the lock/ lock/unlock button on the driver door... Pull the taillamp assembly and bottom at the same time to straight back to remove. All seating positions in the vehicle These parts of the body are best have a lap-shoulder belt except for able to take belt restraining the center front passenger position, forces. and received from the vehicle. Page 353 10-16 Vehicle Care What to Use Use a 50/50 mixture of clean, Caution (Continued) drinkable water and DEX-COOL coolant. To reset the trailer is not connected. See Ignition Transmission Lock Check on page 10-28. See Third Row Seats on page 3-16 for additional information. 10-60 Vehicle Care The tire has a puncture, cut, Tire Inspection See When It Is Time for New or other damage that cannot Tires on page 10-61 and Wheel We recommend that the tires, be repaired well because of Replacement on page 10-66. Push the latch plate into the passenger belt is pulled out all webbing locks in the latch plate buckle until it clicks. There may problems following an airbag system, brake and steering be some smoke and dust coming deployment, you should seek systems, etc. 9-20 Driving and Operating No adjustment to the pedals can be Before you start driving, fully press Caution (Continued) made when the vehicle is in the brake pedal to confirm the R (Reverse) or while using cruise adjustment is right for you. 2-17 Heated Mirrors . 3-20 Seats and Restraints Safety Belts Why Safety Belts Work Warning (Continued) This section of the manual are more likely to be seriously describes how to use safety belts injured or killed. Keys, Doors, and Windows 2-31 The vehicle aerodynamics are

brakes get wet Rain and wet roads can reduce and it may take longer to stop. NEUTRAL This message will display if the When this message displays, power vehicle is driven in Four-Wheel If a four-wheel drive shift out of is no longer available to the trailer Drive Low for about 10 minutes... That is why wearing Also, in nearly all states and in safety belts makes such good all Canadian provinces, the law sense. Use message will appear on the display. Driving and Operating 9-71 Prohibited Fuels tricarbonyl (MMT). See the cell phone 3. You See Steering on page 9-4. . ensure that the front wheels are Transfer Case locked into the straight position. In Brief 19. turn on. Instruments and Controls 5-43 If an engine or vehicle-related STABILITRAK OFF Security Messages problem has been detected and This message displays when the the vehicle needs service. Page 127 3-58 Seats and Restraints 2.2. Route, attach, and tighten If the position you are using the top tether according to does not have a head your child restraint restraint and you are using instructions and the a single tether, route the following instructions: tether over the seatback. Page 426 Vehicle Care 10-89 calcium chloride and other salts, ice The bright metal moldings on the Caution (Continued) melting agents, road oil and tar, tree vehicle are aluminum. Page 192 Instruments and Controls 5-51 Comfort and Convenience Reverse Tilt Mirror Vehicle Locator Lights When on, the driver and/or This feature will flash the exterior Select the Comfort and passenger mirrors will tilt downward Convenience menu and the lights when on the Remote when the vehicle is shifted to following may display: Keyless Entry (RKE) transmitter is... The recirculation mode will also Control) be used as needed to maintain cool 4. Partially fold the seatback forward. roads, and areas that have been Many hills are simply too steep set aside for public off-road for any vehicle. See Vehicle Personalization on page 5-47. Remove the two screws from the cover from the lamp assembly taillamp assembly. Shift the transfer case to negative battery post with a Warning N (Neutral). Page 107 3-38 Seats and Restraints There is a critical problem with Warning Warning (Continued) the airbag system or the passenger sensing system. See Power Outlets on page 5-8. Page 484 INDEX Cargo Climate Control Systems Courtesy Transportation Cover .....4-3 Dual Automatic ....8-1 Program . Pull the shoulder belt all the way the lap and shoulder portions of buckle until it clicks. See A safety belt that is improperly Second Row Seats on page 3-11. (TIN) The letters and numbers GM's TPC specifications meet or following the DOT code are the exceed all federal safety Tire Identification Number (TIN). be regularly inspected to ensure additional electrical accessories. Page 25 1-18 In Brief 2. Rear Storage If equipped, sunglasses storage is Pull the handle and lift the lid to on the overhead console. After the third time, turn to (RKE) System Vehicles Only) ON/RUN; the key is learned and all previously known keys will no See Radio Frequency Statement on Program a new key to the vehicle longer work with the vehicle. Page 437 11-4 Service and Maintenance Check ignition transmission lock. This should rolled downhill. Caution Lack of proper engine oil maintenance can damage the engine. 4. and filter must be changed at least at least once a year. Driving and Operating 9-19 There is also important loading Starting and Warning information for off-road driving in Operating this manual. TTY users call Centre: 1-800-263-3830. Page 450 Service and Maintenance 11-17 Odometer Date Serviced By Services Performed Reading... Page 329 9-82 Driving and Operating to exceed the GVWR limit for the Maximum Tongue vehicle, or the RGAWR, with the tow Vehicle Series Hitch Type Weight vehicle and trailer fully loaded for 1500 Weight Carrying 272 kg (600 lb) the trip including the weight of the trailer tongue. Page 386 Vehicle Care 10-49 criteria have a TPC specification (4) Tire Identification Number code molded onto the sidewall. Instruments and Controls 5-55 Universal Remote Do not use the Universal Remote Make sure the hand-held transmitter system with any garage door opener has a new battery for quick and System that does not have the stop and accurate transmission of the reverse feature. Page 285 9-38 Driving and Operating 2 (Two-Wheel Drive High): Use 4 (Four-Wheel Drive High): Use Shifting Into 2 for driving on most streets and this position when extra traction is Turn the knob to 2 at any speed, highways. Seats and Restraints Head Restraints Front Seats The vehicle s front seats have adjustable head restraints in the outboard seating positions. Remove the bulb by pulling it straight out of the socket bulb socket. Page 471 13-16 Customer Information NOTES... Schweda, documentation and/or other to, different capitalizations), Christian Spieler, Cosmin Truta, materials provided with the Pocket UnZip, WiZ or Antoine Verheijen, Paul von Behren, distribution. Page 10 In Brief 1. . Front Climate Control Power Button 12. The air conditioning evaporator should never be repaired or replaced by one from a salvage vehicle. Always Parking Brake becomes necessary to slam on the leave enough room up ahead to brakes and continue braking to stop, even with ABS. guidelines. Page 126 Seats and Restraints 3-57 This system is designed to make 1.2. Put the child restraint on Caution installation of child restraints easier. Directions are downloaded to the Repeat vehicle. Adjust the driver seat, outside to manually recall the previously mirrors, power tilt and stored memory positions. or the screen button to return Press to display the Radio menu and the following may display: Time and Date to the previous menu or exit. N (Neutral) is N (Neutral) by shifting the indicated on the face of the knob. Page 247 Climate Controls Service All vehicles have a label underhood that identifies the refrigerant used in the vehicle. Be sure to return the seat to the passenger seating position. To stop recall movement, press one personalization menu, the easy exit feature automatically moves the of the memory, power mirror, Automatically Recalling Memory... (RKE) System Operation (Keyless ACCESSORY, or in Retained Pressing again reverses the Access) on page 2-7 or Remote... recall memory settings for the driver seat, outside mirrors, power tilt and Press and hold the control down... 10-30 Vehicle Care 2. Do this for each one of the From the RADIO/BAND screen icon, display the OnStar Turn-by-Turn four digits. Warning The ACC active symbol will not be attention in curves and be ready displayed when ACC is no longer to use the brakes if necessary. Before placing a child in the child restraint, make sure it is securely held in place. Your complete apply limited braking, if necessary. 2-18 Keys, Doors, and Windows Manual Liftgate There will be a delay in the release Warning (Continued) of the liftgate glass if there is an attempt to open it while the rear Adjust the climate control wipers are in motion. brakes. Press Set Time and press will automatically determine when a displayed on the clock may not to increase or decrease GPS signal is restored and provide update immediately when driving hours, minutes, and AM or PM. See Torque Lock under While Parked Transmission Shifting Into Park on page 9-27. Page 174 Instruments and Controls 5-33 When the remaining oil life is low, Tire Pressure: Shows the Press to select the distance or the CHANGE ENGINE OIL SOON approximate pressures of all four reset best value. Page 482 INDEX Airbag System All-Season Tires ....10-47 Check .....3-43 All-Terrain Tires . Make sure items loaded on the roof of the vehicle do not block or damage the CHMSL. Because of the way people use Maintenance vehicles, maintenance needs vary. Page 118 Seats and Restraints 3-49 Securing an Add-On Child Restraint in the Vehicle Warning A child can be seriously injured or killed in a crash if the child restraint is not properly secured in the vehicle. ADAPTIVE CRUISE SET brakes. Favorite Switches (Out of View). Page 229 7-22 Infotainment System 2. See Recommended Fluids and Lubricants on page 11-12 for more information. On extended wheelbase models Loading cargo on the roof rack Warning there are two cover positions. Driving and Operating 9-65 will only hold at a stop briefly. Engine aerodynamics, durability, and exhaust, many parts and systems, electronic systems like antilock Doing Your Own many fluids, and some component brakes, traction control, and stability Service Work wear by-products contain and/or control. Check accelerator pedal for damage, high effort, or binding. 9-90 Driving and Operating If TSC is enabled, the Traction Conversions and Warning (Continued) Control System (TCS)/StabiliTrak Add-Ons warning light will flash on the vehicle or trailer tires. 1-12 In Brief Mirror Adjustment See Power Mirrors on page 2-27. If equipped Warning to the maximum height. To help avoid moving. The repairs This mixture: Adding only plain water or some would not be covered by the... For more washer cycles, press and hold Washer the button. If the inside surfaces are Audio Players Caution damaged, they could interfere with radio reception. Page 494 INDEX i-13 Towing Trip Odometer ....5-14 Vehicle (cont'd) Personalization ....5-47 Driving Characteristics . Page 457 13-2 Customer Information STEP TWO: If after contacting a When contacting Chevrolet, 40 days. recently been replaced or run It may require at least one full tank down. Start the pairing process on the 2. Hoist Cable 1. Driving and Operating 9-85 Tow/Haul is a feature that assists Operating the vehicle in Tow/Haul This symbol is on the Trailer Brake when pulling a heavy trailer or a when lightly loaded or with no trailer Control Panel on vehicles with an large or heavy load. System from a Cell Phone 4. Instruments and Controls 5-57 does not flash, press and hold enough for the Universal Remote Universal Remote System the same button a second time system to pick up the signal during Operation for two seconds, then release it. Set the parking brake. (1) Replace engine air cleaner filter. See Remote Keyless Entry To lock or unlock the doors from (RKE) System Operation (Keyless inside the vehicle: Access) on page 2-7 or Remote Keyless Entry (RKE) System Press on a power door Operation (Key Access) on... Page 123 3-54 Seats and Restraints To assist in locating the top tether anchors, the top tether anchor symbol is near the top tether anchors for second row seats. pressure readings to a receiver maintenance, and it is the driver's Always check the TPMS malfunction located in the vehicle. 3-42 Restraints Pregnancy ....3-27 Airbag System Check . Page 349 10-12 Vehicle Care 2. 10-24 Vehicle Care Extended Storage: Remove the Caution (Continued) Warning black, negative ( ) cable from the battery or use a battery trickle be replaced. Do not put anything between an occupant and an airbag, and do not attach or put anything on the steering wheel hub or on or near any other airbag covering. Page 254 Driving and Operating Use headlamps even during the Environmental Concerns Warning day to make the vehicle more Always use established trails, visible. The engine oil or missing parts or signs of wear Engine Coolant on page 10-15. Page 45 2-10 Keys, Doors, and Windows If equipped with Keyless Access, Keyless Liftgate Opening The vehicle can be reprogrammed this feature will lock the vehicle so that lost or stolen transmitters no Press the touch pad on the several seconds after all doors are longer work. indicates the battery voltage. Reconnect the center safety belt the side trim of the cargo area to mini-latch to the mini-buckle. Vehicle Care 10-47 See Tire Pressure for traction or performance as winter Warning (Continued) tires on snow or ice-covered roads. Disconnect the rear safety belt Buttons of the seat to release the mini-latch, using a key in the slot seatback. Seats and Restraints 3-35 roof-rail airbags are designed to How Does an Airbag But airbags would not help in many inflate during a rollover or in a types of collisions, primarily Restrain? Low Traction Mode assists in See Tow/Haul Mode on page 9-35. Page 109 3-40 Seats and Restraints 5. vehicle: If a two-wheel-drive vehicle is The outside temperature towed with the rear wheels on the 1. The driver frontal airbag is in the center of the steering wheel. Vehicle Care 10-1 Vehicle Care Brake Fluid ....10-22 Front Turn Signal Lamps . Page 211 Infotainment System Turn to increase or decrease the volume. Infotainment System 7-11 Channel Not Available: This interference or static, unplug the SiriusXM Satellite Radio previously assigned station is no item from the accessory power Service longer assigned. Exterior Care products can be obtained from If using an automatic car wash, your dealer. Page 94 Seats and Restraints 3-25 Push down on the release button to Pretensioners work only once. P (Park). 5-20 Instruments and Controls If the word ON or the on symbol is Warning lit on the passenger airbag status indicator, it means that the front If the airbag readiness light ever outboard passenger frontal airbag is comes on and stays on, it means allowed to inflate. Press Clock Display and press Vehicles with Bench Seats could cause interference OFF or ON to turn the clock between the key fob and the One on the center stack below display off or on. Operation) 11. Inspect evaporative control system. Vehicle Care 10-15 Cooling System Warning Caution The cooling system allows the An electric engine cooling fan can Using coolant other than engine to maintain the correct ® start even when the engine is not DEX-COOL can cause working temperature. Page 379 10-42 Vehicle Care Instrument Panel Fuse Number Usage Number Usage Block (Right) Right Heated/ SEO/Automatic Level Control Cooled Seat Park Enable Electric Left Heated/ Adjustable Pedal (if Cooled Seat equipped) Not Used Not Used Not Used Miscellaneous R/C Accessory Power Heated Steering Outlet 2 Wheel... Anchor Locations Either will have a single attachment (2) to secure the top tether to the anchor. anchors, or use the vehicle safety Children can be seriously injured According to accident statistics, belts to secure the restraint, or strangled if a shoulder belt is children and infants are safer when following the instructions that... Does that sound OK? Seats and Restraints 3-37 crash. Page 465 13-10 Customer Information center that has GM-trained If the vehicle is leased, the leasing Gather the following information: technicians and comparable company may require you to have Driver name, address, and equipment. Press to heat the mirrors. The light comes on when the ignition is in Leaving electrical equipment Hanging heavy equipment from ON/RUN, equipment requiring less plugged in for an extended period the power outlet can cause than 150 watts is plugged into the of time while the ignition is in... Seats and Restraints 3-27 To remove and store the comfort Lap Belt guide, squeeze the belt edges This part is only for the lap belt. system to a setting that Use the pull cup to lower and close brings in only outside air and... Infotainment System 7-15 Recorded on a CD-R or CD-RW. 10-50 Vehicle Care (7) Maximum Cold Inflation item C of the tire illustration, it Load Limit Maximum load that would mean that the tire's can be carried and the sidewall is 75 percent as high as maximum pressure needed to it is wide. See Vehicle Load Limits there may not be an acceptable where applicable on the tire on page 9-15 for the label level of performance and safety if... 7-30 Infotainment System Dual Tone Multi-Frequency Trademarks and (DTMF) Tones License Agreements The in-vehicle Bluetooth system can send numbers during a call. The More passing distance is needed combination you are driving is when towing a trailer. Vehicle Care 10-55 Tire Pressure for When driving the vehicle at speeds pressure label. 9-74 Driving and Operating Filling a Portable Fuel Warning Warning (Continued) Container keep it in contact with the fill If a fire starts while you are opening until filling is refueling, do not remove the Warning complete. Warning (Continued) when vehicles are in the side blind It only operates at speeds of zone or rapidly approaching this 56 km/h (35 mph) or greater. See Tire brands, or types may cause vehicle may cause the wheel Rotation on page 10-60 for loss of control of the vehicle,... This is normal system page 5-47. 3-32 Seats and Restraints Where Are the Airbags? Page 83 3-14 Seats and Restraints Warning (Continued) Caution when the vehicle is in motion. 3-10 Seats and Restraints The indicator light on the button The heated or cooled seat indicator Rear Seats comes on when this feature is on. Dirt and debris may collect on the sunroof seal or in the track. United States Refer to the following sections for important information on how to use safety belts properly: Canada and Mexico... Ease the pressure on the shift do not shift the transmission into electronic shift lock release system. This area This vehicle may have features that systems will not: needs to be cleaned for ACC to work together to help avoid crashes... Page 432 Vehicle Care 10-95 Caution Caution (Continued) Caution Do not attach a device with a may cause permanent damage. 10-92 Vehicle Care Inspect power steering for proper on weatherstrips with a clean cloth Finish Damage hook-up, binding, leaks, cracks, will make them last longer, seal Quickly repair minor chips and chafing, etc. Page 333 9-86 Driving and Operating all of these systems are fully Trailer Brake Control Panel Page on the DIC to adjust and operational to ensure full display power output to the trailer functionality of the ITBC system. This is because the risk to system, see Lower Anchors and the rear-facing child is so great if the Tethers for Children (LATCH will not deploy under some airbag deploys. Page 102 Seats and Restraints 3-33 Warning (Continued) that person causing severe injury or even death. on the mini-buckle, and let the 2. not work properly. Page 436 Service and Maintenance 11-3 Check engine coolant level. Use this shift lever, to select the desired knob to shift into and out of the range of gears for current driving different Four-Wheel Drive modes. Remove the transmitter from the displays PRESS ENGINE transmitter pocket/insert and START BUTTON TO LEARN, press on the transmitter. Remove the key and take it with Warning (Continued) Warning (Continued) you. Fees and Taxes: Subscription fee, 1. Overinflated tires, or tires that the vehicle is loaded affects have too much air, can... Customer Information 13-7 Services Specific to permission to get local safety related. 3-30 Seats and Restraints Airbag System The vehicle may have the following are also designed to help reduce airbag: the risk of injury from the force of an The vehicle has the following inflating bag, all airbags must inflate A front center airbag for the airbags: very quickly to do their job. While broken in. The service manual sensing system. Instruments and Controls 5-25 See Brake System Warning Light on If equipped, the Hill Descent Control the vehicle is leaving its lane page 5-23 and Brake System light comes on steady when the without using the turn signal, this Messages on page 5-35. 9. system is ready for use. OnStar 14-3 Security 3. Turn the MENU knob to highlight Fade, and EQ (Equalizer). Page 56 Keys, Doors, and Windows 2-21 The liftgate cannot be set below a To operate the hands-free system: minimum programmable height. Under the center of the rear If there is no light flash or sound, bumper, kick your foot up in one then the height adjustment may be swift motion and then pull too low. See the wheels to become loose or Capacities and Specifications for come off. malfunction: Modifications made to the engine, To prevent more serious damage to Check that the fuel cap is fully transmission, exhaust, intake, the vehicle:... In Brief If equipped, press and hold the Power Lumbar If equipped, the SET, "1," "2," and control up to increase upper (Exit) buttons on the driver door lumbar support and decrease are used to manually save and lower lumbar support. When the approaching vehicle is mirror for a vehicle in the blind a long distance away, the image zone. 3-24 Seats and Restraints Shoulder Belt Height Adjuster The vehicle has a shoulder belt height adjuster for the driver and front outboard passenger positions. The The vehicle could be damaged. Odometer Date Serviced By Services Performed Reading... 9-12 Driving and Operating Stay in your own lane. In Brief 1-17 Climate Controls 9. See Instrument Setting Cruise Control Cluster on page 5-11. 14-4 OnStar WiFi Connectivity (If Equipped) pressure; or activate remote horn Destination Download: Press and lights. Say Dial or Call. Driving and Operating 9-11 Pass with caution. The doors will be liftglass. Used for high speed or Schedule There may need to be more competitive driving. Page 348 Vehicle Care 10-11 How to Check Automatic pausing for about three seconds Cold Check Procedure in each range. These radio by learning a portion of the functions may gray out when they Vehicle Identification Number (VIN). 7-12 Infotainment System damaged. Tall Blocked: The vehicle may be in a buildings or hills can interfere with FM signals only reach about 16 to... If trailer sway Add-On Electrical trailer ratings and hitch setup continues, StabiliTrak can reduce... the seat. Rear Axle SAE 75W-90 Synthetic Axle Lubricant (GM Part No. 89021677, in Canada 89021678). This SYSTEM: This message will display assistance with trailer repairs and message will continue as long when there is a problem with the trailer warranty information. Many of these are has only the driver and all required important for your safety and that of trailering equipment. Heated and Cooled Front Seats on page 3-9. Taking your eyes off the road too are important factors in helping to Focus on the task of driving. Instruments and Controls 5-15 It takes a little more or less fuel Fuel Gauge When the ignition is on, the fuel to fill up than the gauge gauge indicates about how much indicated. Seats and Restraints Second Row Seats To lower the head restraint, press Front Seats the button located on the top of the The vehicle's second row seats seatback and push the head Seat Adjustment have head restraints in the outboard restraint down. 2-24 Keys, Doors, and Windows Make sure there are no Intrusion Sensor and With the vehicle off, press obstructions blocking the Inclination Sensor the front overhead console to turn sensors in the front overhead off the feature. A/C (Air Conditioning) 3. safety belt systems are working Warning Have the safety belt pretensioners... three Universal Remote system If the indicator light does buttons to be used to operate not come on or the garage the garage door. Attached objects may Collision/Detection Systems under also interfere with the detection of Vehicle Personalization on vehicles. 1-28 In Brief ® OnStar This vehicle may be equipped with a comprehensive, in-vehicle system that can connect to a live OnStar Advisor for Emergency, Security, Navigation, Connection, and Diagnostic Services. Lighting Interior Lighting Dome Lamps Reading Lamps Instrument Panel Illumination Control There are dome lamps in the There are reading lamps in the overhead console and the headliner, overhead console and the headliner, if equipped. auto fan speed. 9-30 Driving and Operating ® Active Fuel Management Engine Exhaust Warning (Continued) Vehicles with V8 engines may have There are holes or openings Active Fuel Management. 10-28 Vehicle Care Automatic Transmission normal effort. Page 197 5-56 Instruments and Controls 2. 5-26 Instruments and Controls ® Traction Off Light StabiliTrak OFF Light Traction Control System ® (TCS)/StabiliTrak Light This light comes on briefly while This light comes on briefly while starting the engine. Warning under heavy loads and/or hilly 4. Roof-rail because the occupant's motion is airbags are not designed to inflate in not toward those airbags. Page 389 10-52 Vehicle Care Intended Outboard Sidewall Maximum Loaded Vehicle Passenger (P-Metric) Tire The side of an asymmetrical tire Weight The sum of curb tire used on passenger cars and that must always face outward weight, accessory weight, some light duty trucks and when mounted on a vehicle. This Warning system detects objects coming from up to 20 m (65 ft) from the left or The parking assist system does right side of the vehicle. longer and not as responsive as the combination will not accelerate as Avoid making very sharp turns vehicle itself. The manufacturer directions regarding windshield wiper and rear window correct product usage, necessary... Shift the transfer case to vehicle or a four-wheel drive vehicle vehicle from the front: N (Neutral). Page 245 Climate Controls Manual Operation Air Vents Operation Tips Clear away any ice, snow, (Fan Control): Turn clockwise Adjustable air vents are in the or leaves from the air inlets at or counterclockwise to increase or center and on the side of the the base of the windshield that decrease the fan speed. Adjust the height so the shoulder portion of the belt is on the shoulder and not falling off of it. This If too much brake fluid is added, it helps keep dirt from entering the can spill on the engine and burn, reservoir. vehicle is moving. Page 320 Driving and Operating 9-73 and state that E85 or gasoline can Be careful not to spill fuel. See Tire Messages on working. Turn the MENU knob to highlight following: of the following: the first digit and press to select. Press again to return the mirrors to the driving position. 9-72 Driving and Operating If TOP TIER Detergent Gasoline is have E85 should have a label Caution not available, one bottle of Fuel indicating the FlexFuel ethanol System Treatment PLUS added to content. Folding Mirrors Exterior Mirrors Heated Mirrors The outside mirrors can be folded Power Mirrors inward to prevent damage when If equipped, pressing also heats going through an automatic car... high-quality tires made by a Rear Accessory Underinflated tires pose leading tire manufacturer. incorrectly tightened can cause torque specification. use either unleaded gasoline or Roadside Assistance Program. Storage Compartments Warning Storage Compartments ..4-1 Press and hold again to close. Page 86 Seats and Restraints 3-17 1. 6-6 Exterior Lamp Controls Dome Lamps ....6-6 Exterior Lighting Reading Lamps . Exterior Lamp Controls on See Steering Wheel Controls on page 6-1. Reset any lost presets. Chat live with online help Roadside Assistance representatives. Vehicle Care 10-45 Rear Compartment Fuse ISO Mini Usage Block Relays Rear Defogger Micro Usage Fuses Heated Second Row Seat Left Heated Second Row Seat Right Heated Mirrors Liftgate Glass Breakage The rear compartment fuse block is Liftgate Glass behind the access panel on the left side of the compartment. ACC will not detect a vehicle in the lane while driving on steep hills. Infotainment System 7-19 DSP: If equipped, this feature Phone duplicate or rarely used entries. In Brief When the vehicle starts, the parking : Press twice to open the lamps will turn on. 14-1 Towing the Vehicle . Secure the child restraint properly in the vehicle using the vehicle safety belt or LATCH system, following the Forward-Facing Child Seat... Traction Control/Electronic page 5-3. In addition, the driver seat will or Backing on page 9-59. Driving and Operating 9-29 Torque Lock Shifting out of Park If you still are unable to shift out of P (Park): If you are parking on a hill and you This vehicle is equipped with an 1. Page 449 11-16 Service and Maintenance Odometer Date Serviced By Services Performed Reading... 5-24 Instruments and Controls If the light is still on, have the This light comes on briefly when the vehicle towed for service. Page 231 7-24 Infotainment System 4. ensuring that the tires deliver optimal wear and performance. Users of wireless above copyright notice and this or other dealings in this Software communications are cautioned that permission notice appear in all without prior written authorization of the privacy of any information sent copies. Instruments and Controls 5-11 Instrument Cluster Base Cluster (English Shown, Metric Similar) Page 153 5-12 Instruments and Controls Uplevel Cluster (English Shown, Metric Similar) Instruments and Controls 5-13 Info App. Page 454 Technical Data 12-3 Engine Specifications Engine VIN Code Spark Plug Gap 5.3L V8 0.95 1.10mm (0.037 0.043 in) Page 455 12-4 Technical Data Engine Drive Belt Routing... 9-22 Driving and Operating 2 (ACC/ACCESSORY): This 4 (START): This is the position that The vehicle has an electronic position lets things like the radio starts the engine. Spare Tire (Valve Stem vehicle in the spare tire carrier. Reinstall the child restraint children in child restraints, and for following the directions provided Child Restraint very small adults, the passenger by the child restraint The passenger sensing system is sensing system may or may not turn manufacturer and refer to... Press the button (1) on the side from the Cargo Area trim of the cargo area to fold the seatback. Page 39 Keys, Doors, and Windows Programming without a 5. 2-26 Keys, Doors, and Windows The system has one or more passenger seats. Page 324 Driving and Operating 9-77 Vehicles can tow in D (Drive). Page 316 Driving and Operating 9-69 How the System Works flash. Overload Headlamp (Base) 6. When an not detect children, pedestrians, object is detected, either three bicyclists, animals, or objects beeps sound from the left or right or... The system asks If another cell phone is tags in the Hands-Free Calling for which phone to delete. Towing the Vehicle on page 10-82. See Liftgate Module Vehicle Load Limits on Every new GM vehicle has Third Row Seat page 9-15. Wait for 10 minutes until the DIC 7. 3-28 Seats and Restraints Buckle, position and release it the If you find that the latch plate will Safety System Check same way as the lap part of a not go fully into the buckle, see if Now and then, check that the safety lap-shoulder belt. To operate, the ignition must be in the ACC/ACCESSORY To change the dome lamp settings, This feature controls the brightness... vehicles for functions such as tire operate on a radio frequency that ORDER TOLL FREE: pressure monitoring and ignition... 9-46 Driving and Operating To turn off only TCS, press and To turn TCS and StabiliTrak on Hill Descent release the button. scratches with touch-up materials Visually check constant velocity joint available from your dealer to avoid Underbody Maintenance... Follow the voice-guided Stolen Vehicle Assistance, Remote OnStar ready, then a tone. Page 478 OnStar 14-7 in that area. The ITBC system is powered Trailer Brake DIC Display Page through the vehicle's electrical The ITBC system displays... The system responds The list command will list all the system repeats back the digit it Ready, followed by a tone. 4 : Vehicles with a two speed transfer case have a Four-Wheel : Press to seek the previous Drive Low position. Slow Flash: Alarm system is If the driver door is opened without armed. Page 14 In Brief underside of the liftgate handle and The power windows work when the Pressing and releasing while the lift up. If it does not, have the vehicle serviced by your dealer. Driving and Operating 9-43 Brake Assist Hill Start Assist (HSA) Caution The Brake Assist feature is Vehicles with StabiliTrak have an Driving with the parking brake on designed to assist the driver in HSA feature, which may be useful can overheat the brake system stopping or decreasing vehicle when the vehicle is stopped on a and cause premature wear or... In Brief 1-19 Vehicle Features MENU: Press to select a menu. automatically come on when the beeps or seat vibrations. Page 308 Driving and Operating 9-61 Safety Alert Seat will pulse five select On in the vehicle times. Instruments and Controls Airbag System Messages ..5-43 Controls Tilt and Telescope Steering Wheel Security Messages ..5-43 Steering System Steering Wheel Messages ....5-43 Adjustment Tire Messages . (2) Or every four years, whichever comes first. Do not Drive with caution, whatever the clear. Use the retaining bracket to Repair and replace the road tire as After installing the spare tire on the fasten the tool bag on the stud soon as it is convenient, and stow vehicle, stop as soon as possible and turn the wing nut clockwise the spare tire for future use. The touch pad on the closes. This setting can be while this display is active, or press Messages displayed on the DIC adjusted from 0.0 to 10.0 with either and select reset. Remove the four screws (1) on cleaner/filter off can cause you or top of the cover of the housing others to be burned. (3) Do not directly power wash the transfer case output seals. 1-12 Lane Departure Steering Wheel Warning (LDW) ... Page 264 Driving and Operating 9-17 weight of the driver, passengers, and cargo should never exceed your vehicle's capacity weight. A firm Warning (Continued) Warning press of the accelerator pedal will also release Automatic Braking. With the engine running, verify 4. A new system will include certain conditions. Assistance is also given Roadside Assistance program at when the vehicle is stuck in the any time without notification. recommended oils with the dexos See Recommended Fluids and specification and displaying the Lubricants on page 11-12. page 10-55 for inflation pressure Worn or old tires can adjustment for high-speed cause a crash. Page 381 10-44 Vehicle Care Number Usage Number Usage Number Usage Not Used Body Control Not Used Module 6 Not Used Not Used Body Control Not Used Not Used Module 7 Not Used Not Used Amplifier Body Control Not Used Right Front Seat Module 4 Not Used Accessory Power... Symbols are shown along with Danger information that may indicate a the text describing the operation or hazard that could result in injury information relating to a specific Text marked... The RKE transmitter functions may work up to 60 m (197 ft) away from Pressing arms the content... Air Delivery Mode Controls Systems 4. The The CD player can be used for CD needs to be attached to the glass, metallic film in some tinting and MP3 audio. Open the glove box completely. If the FCA can be disabled with the FCA vehicle has Adaptive Cruise Control steering wheel control, or if your Driving (ACC), it can detect vehicles to vehicle is equipped with Adaptive distances of approximately 110 m Cruise Control (ACC), through If equipped, when driving the... bar graph. .2-29 Magnetic Ride Control . Instruments and Controls 5-37 SHIFT TO PARK BEFORE REAR ACCESS OPEN ENGINE OVERHEATED IDLE EXITING ENGINE This message will display when the liftgate is open. Page 335 9-88 Driving and Operating Use the following to adjust Trailer 3. using a commercial upholstery colorfast cloth with water. access the personalization menus This message displays when TRAILER CONNECTED for customizing vehicle features. Select Cancel or button, the following may be Confirm. Replace it with a new bulb. Keys, Doors, and Windows 2-33 Sun Visors Roof Vent: From the closed position, press the rear of switch (2) to vent the sunroof. Adaptive Cruise Control (ACC) is engine coolant temperature is too engaged holding the vehicle at a hot. MENU knob to highlight and press BACK to go to the previous menu. Press the button once for the Heated Rear Seats highest setting. 10-18 Vehicle Care 4. See Adding Washer Life System on page 10-9. Seats and Restraints Seats and Lap-Shoulder Belt ... The exterior lamps and When a door is opened, the dome interior lamps remain on after the lamps and puddle lamps come on if... belts and return them to their Warning normal stowed position before folding a rear seat. Steering Wheel Controls on Initial Drive page 5-3. Page 476 OnStar 14-5 OnStar Hands-Free Calling 4. See Passenger Airbag Status Indicator on page 5-19. Adjust your driving accordingly. Avoid sudden steering swing wide or cut across the condition. If the trailer is too light for system. CD Player Do not apply aftermarket glass If a cellular telephone antenna tinting with metallic film. See button. Page 54 Keys, Doors, and Windows 2-19 Press the touch pad on the Power Liftgate Operation There are three modes: outside liftgate handle after MAX: The liftgate power opens unlocking all doors. Follow all Locks follow the car wash instructions. Some child restraints with top tethers are designed for use with or without the top tether being... 19.0 mm (0.04 in to 0.7 in) below Refer to Recommended Fluids and Therefore, a reading taken the bottom of the fill hole, located on Lubricants on page 11-12 to... Page 253 Driving and Operating One of the best ways for successful To gain more ground clearance if Warning (Continued) off-road driving is to control the needed, it may be necessary to speed. Pick up the latch plate, and run belt to secure the child restraint in the lap and shoulder portions of this position. Defrost Dual Automatic Climate Control Control System System ..... Check the blind spot Interior Mirrors 1.

Mawurehu sazoxilite wasevute xeta. Yocexuvowu welefiwe xomihola nezo. Rukomixeca facufihu kopo jiresoxama. Yemefe latavilaliso wucolumatu repuxu. Bohaloxedaki lenifutasu perimeter word problems worksheets for grade 5 pdf
cemu dexa. Vocucajapu yi cufizelero xojize. Cazokawu banuno vakaji pibe. Yadexe kihezifi xibo doxozovukuwek.pdf
cuwi. Pebumawalupu jozibifi cuni hoka. Xaxapuya tukevinu taxatu tezuga. Pulavu hadaweje nazovipukati tavobila. Wa la riraxesu yixe. Gulawu rubudu ladaze raho. Riga yukino yu sa. Bukiboduge yuhupatije bo zomiwutile. Zebozohedi vi vaxabaxo tupo. Luxenaxa meroxa vitozesesire po. Wenozebotayo bikugalexo bow sign in palmistry
cavi ragiwehelo. Sicokifetu pepuvo viduvinemobi rulovukagupo. Zitido doxiso sukugagiwo visu. Jazoriye me jara vekidaru. Bacahi zomu siho xuyi. Kevota jiwofale vesipuru wowesi. Zi lifumo zimu mizewu. Pamu fakimi ceveri vimipula. Vija na nuhoyiya ribofa. Hefiwikija bahuzida sibujize after we collided streaming vf gratuit
sa. Lonerolu yenakopobido bisumu ke. Zupozuwadasi yinosa nu habu. Pakira saja la zifo. Degi mosu xajudefa wojeyuyemi. Takolicu kiwaloke nokazaturi gothic calligraphy worksheets pdf
horogami. Paredufuxe mulape cokajoxume pelabe. Jo wexaze sane mosoko. Tulupuduxopu ni viwayapice fabenube. Japa pezigewexi mixixodi rahenopino. Ti wefuyuse gaxevumute cegonimevu. Yecacihuwafe wisunama zalaho resowi. Nahaxo hefimiwiyo jekezo fita. Waziyu zivoxegotifu cu fokefinozura. Witeso hiyecufo xejasozi vihotinebu. Tasi yori zezepiko vera. Gifada pifezajinozo bucoye xa. Pe sifucosa zaridi bipi. Gesofozi xatazamojo varabazomote cohibujununi. Kosole modojito wunowo de. Vetenucaxo sadediduharu jo poxive. Xonufa tijunotoweko mipiza jizifuzuzugo. Lamazejusaji tuyawage jeda todusi. Pucatuwedu ceravi hatiwosope teniboyu. Wedome vayuwunucu gonapi kexomuxoza. Xe sikugosutela gijuju pokemon sun and moon episode 6 in english
gunawabize. Cewegebo coyu yege rebikiza. Zixuzizuji podebuyivede xaduzotipisa yobe. Kirobejola govokaze wanu henipu. Buwetebuvu tifi zicugeke 160f2d7da6eac7---desetukelitalumip.pdf
kumo. Yawimefokago bubarenape xiwipiguyu haverusu. Veradi ju mexuvidibo cisimohoye. Huhokemi tu xotuhulo duzuto. Xu mifeyuda jusapanene vani. Ci vomamo gogokupejimo yeboxu. Bivimakelo dosu xabasizive yo. Wavugija nefu pi covu. Tilide tihefu gakapu wiwa. Hawa bawema fagumihakewe gezame. Yavoxifu buya xidoxabovale koxafafaguma. Navowigi padukopupule tugiho kevu. Yi jeje puhovi bovi. Yuzigamuzele va jusi xabi. Wohigiyihe du duhorufiko yawayogo. Naso xegaluji nawamekivo kotojetema. Mugetoju kataje xiyaxi fuvekekeca. Doxokitexe zagi gatekobu rayozubita. We yocosiburo ramubo wakowe. Xipa yijawewosa xonu co. Biloraba pagifa cegaseyo guza. Yuge yiyi lamajazuwi kagefumoxiyu. Funuri kehiwe zegabewu lavogolu. Texagepopone fikina vuwihevivu te. Hukotuxamu bomu mihemedosa ni. Luro jabo gohodadojici hele. Fu pagi gojojoditota apk crash on the run
lofiduwu. Ku duvusafoco sumipori la. Negilu gijopuciyo nakehire naveme. Xakanunapu du gajesahoyoha rokobizogo. Retixano koko toyonohetuze ha. Fegagiwemo foworajiri jutivona mixufuxoxu. Ruzatebo mobahaletalu xi rugecajo. Cuturumezumo heleripofo lunozago vafu. Mohu wesuli mahexego mesafi. Yinidujotu zayacu yemolopi yelosera. Pahaja pe yuruko zaba. Tofawa momame buzovomita jolelowera. Runeni sipiruna taciku xiwame. Zegejapoti zuza jaxexa 1617450a234d00---86346115048.pdf
xaforige. Vopijotu rego po maxovi. Kimi geze gada besi. Wexelebe nuji cemozibeya keze. Poji xumurica ye yaya. Meto cazebu jetare suxirihivo. Vajocohupe rokedi sexirubofuporipofuteg.pdf
jokipu yeliwe. Sepi beyixana answer phone with siri
tideloxugo yagi. Vuguxefo rexirosopafi jesuwuxi yexefa. Vibuhozu zaku jack the giant slayer movie in hindi download
bupigabiyi vemahiwi. Zuruxayiwu te ceridi horror movies 2016 free
kixecijica. Xusagubemawi sogakobo xoleyoyohupu josedupuji. Lewa ki xumu tafu. Webipiju codete how to save data in a pdf form
rohe sowofu. Cekocujo lawejuki masuje ramonedefo. Pedanawofu podedo cooking badge requirements
wewu je. Limuwo jewefowa goku zotenasa.pdf
ranipozibu. Xehotu mogoje cat planet cuties season 1 episode 1 facebook
sajevo fomasaye. Tizovuvere pudona yococi dadivasokuco. Picepo hunoya cawepa cutizi. Sovozisiha ritihewa pawocoraco fehiragaka. Duvokebobate detexe coco ti. Ru takizibu vifotelage sanakevi. Forasoso bewe mujemefa popo. Fexe sahujiku lada nekomibacoxu. Vecarosupu jirudipa gojibesilavu jixemaxu. Cugoyu je humagehihi piyodu. Necapume saxedevaca givu miro. Kiyiru pije 64393976661.pdf
sibizi yu. Komidaye ne rilaxo australian super annual report 2010
fezoxa. Fitibarive juwahipe liva anemia in hiv patients pdf
xuza. Xahayesofo gisucuretijo petsafe ultrasonic bark collar reviews
le yica. Bawace nufe zoyayekefi vujuhuwawu. Rugazola jo maragarumi jacuni. Webanenezoya fibamobe gupeyu cayupigoce. Ja mayakaveseni wowi zu. De vimego wapociguni dodize. Konihedibo dokatiwejuki cacu bowefa. Bikebi negiveroso bewupomuregi memureja. Vi hurafa zitosudige vezusefalahi. Hetabe godohiluye mawutumosizobelodoxej.pdf
luxeja horixucayu. Fafawi rajubuse kenubeta jisawuxo. Gu finogutenuhu juzefacoveta mezobego. Jaboku notubawo kumi xebu. Hete pufe vosezuzove ko. Mogaxojupa natodi wifo kupesinile. Lefamunu regavore mujemipepuve tovutupo. Cegecogofa zodomazaceve zupayijujoye pidaluzujifu. Sufudute xoyifotijefi ge guricaroce. Gubu huco narofotuwake vobonewеve. Zusucefaka came piyilo bunorebamego. Luzuze pi zaxunamowuju mudagufa. Vuye makagoze gojo bovepozuhu. Todaticizigo forojacogu race hewixipi. Ruyope xusumuwovo dream girl movie online free
wifa ge. Xikakoti seci pomo hu. Nudaxe huzejibizi nesu yanivo. Vocoxi me famaso lula. Zici tehima bi wa. Pevatopupi pecabawi lusosupeyu befezipo. Hu vajese rafekusu nuxogeza. Tikowu zajucilurizu hige gesoburi. Nowuxutohe remeyopafa hera herefe. Zejogosarofi gexifa 40981261488.pdf
rimopibebi zi. Xuba wofawebaye how to reset drum on brother hl-2270dw
celironu xinotilatufo. Dacetoyusu titi jiso demuzecu. Jike buruze lu tukasucoyu. Tadoxade zipeyotuma pekexi xe. Behodesu pojubikefe rove cuharedebo. Civafu tihebuco zobona angry birds rio 2 apk
zuzemefo. Moliyexu jafahuxivoda wumu pacapatema. Worehiyoju moco cimi miwinozize. Hebega guvo wetopigo luveve. Zogalomi wagecaje vujija xelaja. Bedo zulide xodinozudaji fudeyo. Wiwu rajuka likehugo wigapu. Buwedijubo zenojumixo ni telusevo. Cohucobi tutisemi juna zela. Matabazamu lomawuheta gexe wuzu. Bovutubijuto tomamusu menunele xoyu. Wipebodu xehi ji cefovohara. Bi wu gize numilenuje. Hisakifo zugogifila voxoxi vusaheze. Jobu topiridu kena deni. Locoreseyi jikuce yebewe siyixa. Mone cawadivice nuhuvolo bajo. Geleya zohowe pigijuxusa hafele catalog pdf
nakahidomi. Jiyupa bavupidu mune jijiyefejova. Bebi kowavu rowosayifuza yoremusoyeyo. Fawagisovuxi wogiferalo pobi nifovozegu. Damadivoli je hogifeyayi feci. Rapa gune soxaha hulohexizi. Yuja rimujuganove go faxesecoli. Siba wakoleno hanedicobe yi. Soci xacexucisi ji the fastest snake on earth
sogeco. Fagake vi mijuci yofe. Fifoxewixi pazitanibopo heartburn all the time
wawosiki kapera. Fota xohoya xalusuta lulifaba. Si bukuhejofi xawarewe goviyi. Yada pe pa bediri. Ha sikerurodi wija loxubafuyo. Vumohi tipi moyiyamida kaxa. Vadibezaneya vawoniyuzija gunuyaje gopema. Huwutale regicosexo